



## Full wwPDB EM Validation Report ⓘ

Aug 22, 2026 – 10:20 PM EDT

PDB ID : 11IE / pdb\_000011ie  
EMDB ID : EMD-75712  
Title : 2-APB bound rat TRPV2, H651S/D654T/N655D  
Authors : Pumroy, R.P.; Rocereta, J.A.; Moiseenkova-Bell, V.Y.  
Deposited on : 2026-02-25  
Resolution : 3.07 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev133  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.50



# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric                | Whole archive<br>(#Entries) | EM structures<br>(#Entries) | Similar EM resolution<br>(#Entries, resolution range(Å)) |
|-----------------------|-----------------------------|-----------------------------|----------------------------------------------------------|
| Clashscore            | 229148                      | 23984                       | -                                                        |
| Ramachandran outliers | 224038                      | 23583                       | -                                                        |
| Sidechain outliers    | 223484                      | 23102                       | -                                                        |
| Q-score               | -                           | 25397                       | 13977 ( 2.57 - 3.57 )                                    |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain                                                                                   |
|-----|-------|--------|----------------------------------------------------------------------------------------------------|
| 1   | A     | 770    | <br>74% 5% 21% |
| 1   | B     | 770    | <br>74% 5% 21% |
| 1   | C     | 770    | <br>74% 5% 21% |
| 1   | D     | 770    | <br>74% 5% 21% |

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 19916 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transient receptor potential cation channel subfamily V member 2.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 1   | A     | 607      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 4927  | 3220 | 828 | 850 | 29 |         |       |
| 1   | B     | 607      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 4927  | 3220 | 828 | 850 | 29 |         |       |
| 1   | C     | 607      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 4927  | 3220 | 828 | 850 | 29 |         |       |
| 1   | D     | 607      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 4927  | 3220 | 828 | 850 | 29 |         |       |

There are 52 discrepancies between the modelled and reference sequences:


| Chain | Residue | Modelled | Actual | Comment             | Reference  |
|-------|---------|----------|--------|---------------------|------------|
| A     | 151     | PRO      | LEU    | conflict            | UNP Q9WUD2 |
| A     | 651     | SER      | HIS    | engineered mutation | UNP Q9WUD2 |
| A     | 654     | THR      | ASP    | engineered mutation | UNP Q9WUD2 |
| A     | 655     | ASP      | ASN    | engineered mutation | UNP Q9WUD2 |
| A     | 762     | THR      | -      | expression tag      | UNP Q9WUD2 |
| A     | 763     | GLU      | -      | expression tag      | UNP Q9WUD2 |
| A     | 764     | THR      | -      | expression tag      | UNP Q9WUD2 |
| A     | 765     | SER      | -      | expression tag      | UNP Q9WUD2 |
| A     | 766     | GLN      | -      | expression tag      | UNP Q9WUD2 |
| A     | 767     | VAL      | -      | expression tag      | UNP Q9WUD2 |
| A     | 768     | ALA      | -      | expression tag      | UNP Q9WUD2 |
| A     | 769     | PRO      | -      | expression tag      | UNP Q9WUD2 |
| A     | 770     | ALA      | -      | expression tag      | UNP Q9WUD2 |
| B     | 151     | PRO      | LEU    | conflict            | UNP Q9WUD2 |
| B     | 651     | SER      | HIS    | engineered mutation | UNP Q9WUD2 |
| B     | 654     | THR      | ASP    | engineered mutation | UNP Q9WUD2 |
| B     | 655     | ASP      | ASN    | engineered mutation | UNP Q9WUD2 |
| B     | 762     | THR      | -      | expression tag      | UNP Q9WUD2 |
| B     | 763     | GLU      | -      | expression tag      | UNP Q9WUD2 |
| B     | 764     | THR      | -      | expression tag      | UNP Q9WUD2 |
| B     | 765     | SER      | -      | expression tag      | UNP Q9WUD2 |

*Continued on next page...*

*Continued from previous page...*


| Chain | Residue | Modelled | Actual | Comment             | Reference  |
|-------|---------|----------|--------|---------------------|------------|
| B     | 766     | GLN      | -      | expression tag      | UNP Q9WUD2 |
| B     | 767     | VAL      | -      | expression tag      | UNP Q9WUD2 |
| B     | 768     | ALA      | -      | expression tag      | UNP Q9WUD2 |
| B     | 769     | PRO      | -      | expression tag      | UNP Q9WUD2 |
| B     | 770     | ALA      | -      | expression tag      | UNP Q9WUD2 |
| C     | 151     | PRO      | LEU    | conflict            | UNP Q9WUD2 |
| C     | 651     | SER      | HIS    | engineered mutation | UNP Q9WUD2 |
| C     | 654     | THR      | ASP    | engineered mutation | UNP Q9WUD2 |
| C     | 655     | ASP      | ASN    | engineered mutation | UNP Q9WUD2 |
| C     | 762     | THR      | -      | expression tag      | UNP Q9WUD2 |
| C     | 763     | GLU      | -      | expression tag      | UNP Q9WUD2 |
| C     | 764     | THR      | -      | expression tag      | UNP Q9WUD2 |
| C     | 765     | SER      | -      | expression tag      | UNP Q9WUD2 |
| C     | 766     | GLN      | -      | expression tag      | UNP Q9WUD2 |
| C     | 767     | VAL      | -      | expression tag      | UNP Q9WUD2 |
| C     | 768     | ALA      | -      | expression tag      | UNP Q9WUD2 |
| C     | 769     | PRO      | -      | expression tag      | UNP Q9WUD2 |
| C     | 770     | ALA      | -      | expression tag      | UNP Q9WUD2 |
| D     | 151     | PRO      | LEU    | conflict            | UNP Q9WUD2 |
| D     | 651     | SER      | HIS    | engineered mutation | UNP Q9WUD2 |
| D     | 654     | THR      | ASP    | engineered mutation | UNP Q9WUD2 |
| D     | 655     | ASP      | ASN    | engineered mutation | UNP Q9WUD2 |
| D     | 762     | THR      | -      | expression tag      | UNP Q9WUD2 |
| D     | 763     | GLU      | -      | expression tag      | UNP Q9WUD2 |
| D     | 764     | THR      | -      | expression tag      | UNP Q9WUD2 |
| D     | 765     | SER      | -      | expression tag      | UNP Q9WUD2 |
| D     | 766     | GLN      | -      | expression tag      | UNP Q9WUD2 |
| D     | 767     | VAL      | -      | expression tag      | UNP Q9WUD2 |
| D     | 768     | ALA      | -      | expression tag      | UNP Q9WUD2 |
| D     | 769     | PRO      | -      | expression tag      | UNP Q9WUD2 |
| D     | 770     | ALA      | -      | expression tag      | UNP Q9WUD2 |

- Molecule 2 is 1,2-DIDECANOYL-SN-GLYCERO-3-PHOSPHOETHANOLAMINE (CCD ID: PEX) (formula: C<sub>25</sub>H<sub>49</sub>NO<sub>8</sub>P).



| Mol | Chain | Residues | Atoms |    |   |   |   | AltConf |
|-----|-------|----------|-------|----|---|---|---|---------|
| 2   | A     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 35    | 25 | 1 | 8 | 1 |         |
| 2   | B     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 35    | 25 | 1 | 8 | 1 |         |
| 2   | C     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 35    | 25 | 1 | 8 | 1 |         |
| 2   | D     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 35    | 25 | 1 | 8 | 1 |         |

- Molecule 3 is 2-aminoethyl diphenylborinate (CCD ID: FZ4) (formula: C<sub>14</sub>H<sub>16</sub>BNO) (labeled as "Ligand of Interest" by depositor).



| Mol | Chain | Residues | Atoms       |        |         |        |        | AltConf |
|-----|-------|----------|-------------|--------|---------|--------|--------|---------|
| 3   | A     | 1        | Total<br>17 | B<br>1 | C<br>14 | N<br>1 | O<br>1 | 0       |
| 3   | B     | 1        | Total<br>17 | B<br>1 | C<br>14 | N<br>1 | O<br>1 | 0       |
| 3   | C     | 1        | Total<br>17 | B<br>1 | C<br>14 | N<br>1 | O<br>1 | 0       |
| 3   | D     | 1        | Total<br>17 | B<br>1 | C<br>14 | N<br>1 | O<br>1 | 0       |



GLN  
VAL  
LEU  
GLN  
PRO  
SER  
PRO  
THR  
GLU  
THR  
SER  
GLN  
VAL  
ALA  
PRO  
ALA

● Molecule 1: Transient receptor potential cation channel subfamily V member 2



MET THR SER ALA PRO SER SER PRO ALA PHE THR SER ARG LEU GLU THR SER ASP GLY ASP GLU GLU GLY GLY ASN ALA VAL ASN VAL ASN LYS GLY LYS LYS GLN E31 R41 E42 D43 R44 ASN SER SER PRO GLN ILE LYS VAL ASN LEU PHE ILE LYS ARG PRO PRO LYS ASN THR SER ALA PRO SER

GLN GLN GLU PRO GLN ASP R74 R77 D78 E90 R100 V101 N102 T116 T119 M122 K144 D145 D159 E160 D189 L192 R193 H202 Q203 T242 D243 T248 K307 T310 E318 P325 L326 S327 C364 R369 P415 SER LEU ASP GLN

PRO ALA ILE SER LYS ALA THR PHE G430 F462 I463 F491 T494 E495 W496 R560 GLU ALA ARG SER PRO LYS ALA PRO GLU ASP ASN T242 D243 T248 K307 T310 E318 P325 L326 S327 C364 R369 P415 SER LEU ASP GLN

PHE GLN GLU SER GLN PRO THR R617 L623 A643 L644 E647 R694 GLY ASP GLY T698 R702 L719 PRO THR LEU SER GLU ASP PRO SER GLY PRO GLY ILE THR GLY ASN LYS LYS ASN PRO PRO THR VAL THR GLU GLN VAL GLY GLN GLU GLU ASN GLU PRO HIS LEU PRO LEU GLN

VAL  
LEU  
GLN  
SER  
GLN  
PRO  
THR  
GLU  
THR  
SER  
GLN  
VAL  
ALA  
PRO  
ALA

● Molecule 1: Transient receptor potential cation channel subfamily V member 2



MET THR SER ALA PRO SER SER PRO ALA PHE THR SER ARG LEU GLU THR SER ASP GLY ASP GLU GLU GLY GLY ASN ALA VAL ASN VAL ASN LYS GLY LYS LYS GLN E31 R41 E42 D43 R44 ASN SER SER PRO GLN ILE LYS VAL ASN LEU PHE ILE LYS ARG PRO PRO LYS ASN THR SER ALA PRO SER

GLN GLN GLU PRO GLN ASP R74 R77 D78 E90 R100 V101 N102 T116 T119 M122 K144 D145 D159 E160 D189 L192 R193 H202 Q203 T242 D243 T248 K307 T310 E318 P325 L326 S327 C364 R369 P415 SER LEU ASP GLN

PRO ALA ILE SER LYS ALA THR PHE G430 F462 I463 F491 T494 E495 W496 R560 GLU ALA ARG SER PRO LYS ALA PRO GLU ASP ASN T242 D243 T248 K307 T310 E318 P325 L326 S327 C364 R369 P415 SER LEU ASP GLN

PHE GLN GLU SER GLN PRO THR R617 L623 A643 L644 E647 R694 GLY ASP GLY T698 R702 L719 PRO THR LEU SER GLU ASP PRO SER GLY PRO GLY ILE THR GLY ASN LYS LYS ASN PRO PRO THR VAL THR GLU GLN VAL GLY GLN GLU GLU ASN GLU PRO HIS LEU PRO LEU GLN

VAL  
LEU  
GLN  
SER  
GLN  
PRO  
THR  
GLU  
THR  
SER  
GLN  
VAL  
ALA  
PRO  
ALA

## 4 Experimental information

| Property                             | Value                                   | Source    |
|--------------------------------------|-----------------------------------------|-----------|
| EM reconstruction method             | SINGLE PARTICLE                         | Depositor |
| Imposed symmetry                     | POINT, C4                               | Depositor |
| Number of particles used             | 35386                                   | Depositor |
| Resolution determination method      | FSC 0.143 CUT-OFF                       | Depositor |
| CTF correction method                | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope                           | TFS GLACIOS                             | Depositor |
| Voltage (kV)                         | 200                                     | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | 40                                      | Depositor |
| Minimum defocus (nm)                 | 800                                     | Depositor |
| Maximum defocus (nm)                 | 2000                                    | Depositor |
| Magnification                        | Not provided                            |           |
| Image detector                       | FEI FALCON IV (4k x 4k)                 | Depositor |
| Maximum map value                    | 1.775                                   | Depositor |
| Minimum map value                    | -1.010                                  | Depositor |
| Average map value                    | 0.009                                   | Depositor |
| Map value standard deviation         | 0.061                                   | Depositor |
| Recommended contour level            | 0.25                                    | Depositor |
| Map size (Å)                         | 255.45601, 255.45601, 255.45601         | wwPDB     |
| Map dimensions                       | 288, 288, 288                           | wwPDB     |
| Map angles (°)                       | 90.0, 90.0, 90.0                        | wwPDB     |
| Pixel spacing (Å)                    | 0.887, 0.887, 0.887                     | Depositor |

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEX, FZ4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths |             | Bond angles |             |
|-----|-------|--------------|-------------|-------------|-------------|
|     |       | RMSZ         | $\# Z  > 5$ | RMSZ        | $\# Z  > 5$ |
| 1   | A     | 0.15         | 0/5048      | 0.32        | 0/6845      |
| 1   | B     | 0.15         | 0/5048      | 0.32        | 0/6845      |
| 1   | C     | 0.15         | 0/5048      | 0.31        | 0/6845      |
| 1   | D     | 0.15         | 0/5048      | 0.31        | 0/6845      |
| All | All   | 0.15         | 0/20192     | 0.32        | 0/27380     |

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1   | A     | 4927  | 0        | 4974     | 20      | 0            |
| 1   | B     | 4927  | 0        | 4974     | 21      | 0            |
| 1   | C     | 4927  | 0        | 4974     | 19      | 0            |
| 1   | D     | 4927  | 0        | 4974     | 19      | 0            |
| 2   | A     | 35    | 0        | 49       | 0       | 0            |
| 2   | B     | 35    | 0        | 49       | 0       | 0            |
| 2   | C     | 35    | 0        | 49       | 0       | 0            |
| 2   | D     | 35    | 0        | 49       | 0       | 0            |
| 3   | A     | 17    | 0        | 0        | 1       | 0            |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 3   | B     | 17    | 0        | 0        | 1       | 0            |
| 3   | C     | 17    | 0        | 0        | 1       | 0            |
| 3   | D     | 17    | 0        | 0        | 1       | 0            |
| All | All   | 19916 | 0        | 20092    | 78      | 0            |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1           | Atom-2           | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 1:D:116:THR:HA   | 1:D:159:ASP:HB2  | 1.77                     | 0.66              |
| 1:B:116:THR:HA   | 1:B:159:ASP:HB2  | 1.77                     | 0.66              |
| 1:A:116:THR:HA   | 1:A:159:ASP:HB2  | 1.77                     | 0.65              |
| 1:C:116:THR:HA   | 1:C:159:ASP:HB2  | 1.77                     | 0.65              |
| 1:D:119:THR:H    | 1:D:122:MET:HE3  | 1.63                     | 0.64              |
| 1:C:119:THR:H    | 1:C:122:MET:HE3  | 1.63                     | 0.63              |
| 1:A:119:THR:H    | 1:A:122:MET:HE3  | 1.63                     | 0.63              |
| 1:B:119:THR:H    | 1:B:122:MET:HE3  | 1.63                     | 0.62              |
| 1:D:193:ARG:HE   | 1:D:243:ASP:HA   | 1.67                     | 0.59              |
| 1:B:494:THR:HG22 | 1:B:496:TRP:H    | 1.68                     | 0.59              |
| 1:A:193:ARG:HE   | 1:A:243:ASP:HA   | 1.67                     | 0.59              |
| 1:C:494:THR:HG22 | 1:C:496:TRP:H    | 1.68                     | 0.59              |
| 1:D:494:THR:HG22 | 1:D:496:TRP:H    | 1.68                     | 0.59              |
| 1:B:193:ARG:HE   | 1:B:243:ASP:HA   | 1.68                     | 0.58              |
| 1:A:598:LEU:HD11 | 1:B:623:LEU:HD11 | 1.86                     | 0.58              |
| 1:A:623:LEU:HD11 | 1:D:598:LEU:HD11 | 1.86                     | 0.58              |
| 1:C:193:ARG:HE   | 1:C:243:ASP:HA   | 1.67                     | 0.58              |
| 1:A:494:THR:HG22 | 1:A:496:TRP:H    | 1.68                     | 0.57              |
| 1:B:598:LEU:HD11 | 1:C:623:LEU:HD11 | 1.87                     | 0.56              |
| 1:C:598:LEU:HD11 | 1:D:623:LEU:HD11 | 1.88                     | 0.55              |
| 1:B:159:ASP:OD2  | 1:B:160:GLU:N    | 2.44                     | 0.51              |
| 1:C:159:ASP:OD2  | 1:C:160:GLU:N    | 2.44                     | 0.51              |
| 1:D:159:ASP:OD2  | 1:D:160:GLU:N    | 2.44                     | 0.51              |
| 1:A:159:ASP:OD2  | 1:A:160:GLU:N    | 2.44                     | 0.50              |
| 1:B:325:PRO:O    | 1:B:702:ARG:NH2  | 2.43                     | 0.50              |
| 1:C:100:ARG:NH2  | 1:C:145:ASP:O    | 2.45                     | 0.50              |
| 1:A:202:HIS:ND1  | 1:A:203:GLN:O    | 2.37                     | 0.49              |
| 1:B:100:ARG:NH2  | 1:B:145:ASP:O    | 2.45                     | 0.49              |
| 1:C:202:HIS:ND1  | 1:C:203:GLN:O    | 2.37                     | 0.48              |
| 1:D:325:PRO:O    | 1:D:702:ARG:NH2  | 2.43                     | 0.48              |

*Continued on next page...*

*Continued from previous page...*

| Atom-1           | Atom-2           | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 1:A:325:PRO:O    | 1:A:702:ARG:NH2  | 2.44                     | 0.48              |
| 1:A:100:ARG:NH2  | 1:A:145:ASP:O    | 2.45                     | 0.47              |
| 1:C:325:PRO:O    | 1:C:702:ARG:NH2  | 2.44                     | 0.47              |
| 1:D:100:ARG:NH2  | 1:D:145:ASP:O    | 2.45                     | 0.47              |
| 1:B:42:GLU:HB2   | 1:B:77:ARG:HH12  | 1.80                     | 0.47              |
| 1:A:42:GLU:HB2   | 1:A:77:ARG:HH12  | 1.80                     | 0.47              |
| 1:D:42:GLU:HB2   | 1:D:77:ARG:HH12  | 1.80                     | 0.46              |
| 1:D:202:HIS:ND1  | 1:D:203:GLN:O    | 2.37                     | 0.46              |
| 1:D:307:LYS:HB3  | 1:D:310:ILE:HG22 | 1.97                     | 0.46              |
| 1:C:42:GLU:HB2   | 1:C:77:ARG:HH12  | 1.80                     | 0.46              |
| 1:D:242:THR:HG22 | 1:D:248:THR:HG22 | 1.98                     | 0.46              |
| 1:B:242:THR:HG22 | 1:B:248:THR:HG22 | 1.98                     | 0.46              |
| 1:A:242:THR:HG22 | 1:A:248:THR:HG22 | 1.98                     | 0.46              |
| 1:C:242:THR:HG22 | 1:C:248:THR:HG22 | 1.98                     | 0.46              |
| 1:A:307:LYS:HB3  | 1:A:310:ILE:HG22 | 1.98                     | 0.45              |
| 1:C:307:LYS:HB3  | 1:C:310:ILE:HG22 | 1.98                     | 0.45              |
| 1:B:202:HIS:ND1  | 1:B:203:GLN:O    | 2.37                     | 0.45              |
| 1:B:307:LYS:HB3  | 1:B:310:ILE:HG22 | 1.98                     | 0.45              |
| 1:D:44:ARG:NH2   | 1:D:78:ASP:OD1   | 2.51                     | 0.44              |
| 1:A:44:ARG:NH2   | 1:A:78:ASP:OD1   | 2.51                     | 0.44              |
| 1:C:44:ARG:NH2   | 1:C:78:ASP:OD1   | 2.51                     | 0.44              |
| 1:B:44:ARG:NH2   | 1:B:78:ASP:OD1   | 2.51                     | 0.44              |
| 1:B:318:GLU:HA   | 1:B:327:SER:HB2  | 2.00                     | 0.43              |
| 1:D:318:GLU:HA   | 1:D:327:SER:HB2  | 2.00                     | 0.43              |
| 1:A:318:GLU:HA   | 1:A:327:SER:HB2  | 2.00                     | 0.43              |
| 1:C:644:LEU:HD23 | 1:C:644:LEU:HA   | 1.88                     | 0.43              |
| 1:C:318:GLU:HA   | 1:C:327:SER:HB2  | 2.01                     | 0.43              |
| 3:C:802:FZ4:C15  | 3:C:802:FZ4:C02  | 2.97                     | 0.43              |
| 3:D:802:FZ4:C15  | 3:D:802:FZ4:C02  | 2.97                     | 0.43              |
| 1:D:644:LEU:HD23 | 1:D:644:LEU:HA   | 1.89                     | 0.42              |
| 1:A:189:ASP:HB3  | 1:A:192:LEU:HG   | 2.01                     | 0.42              |
| 1:B:607:MET:HE3  | 1:B:607:MET:HB2  | 1.92                     | 0.42              |
| 1:C:189:ASP:HB3  | 1:C:192:LEU:HG   | 2.01                     | 0.42              |
| 3:A:802:FZ4:C15  | 3:A:802:FZ4:C02  | 2.97                     | 0.42              |
| 1:B:189:ASP:HB3  | 1:B:192:LEU:HG   | 2.01                     | 0.42              |
| 1:A:643:ALA:O    | 1:A:647:GLU:HG3  | 2.20                     | 0.42              |
| 3:B:802:FZ4:C15  | 3:B:802:FZ4:C02  | 2.97                     | 0.42              |
| 1:C:643:ALA:O    | 1:C:647:GLU:HG3  | 2.20                     | 0.41              |
| 1:C:364:CYS:HB3  | 1:C:369:ARG:HD2  | 2.03                     | 0.41              |
| 1:B:643:ALA:O    | 1:B:647:GLU:HG3  | 2.20                     | 0.41              |
| 1:D:189:ASP:HB3  | 1:D:192:LEU:HG   | 2.01                     | 0.41              |

*Continued on next page...*

*Continued from previous page...*

| Atom-1           | Atom-2          | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|-----------------|--------------------------|-------------------|
| 1:A:706:ARG:NH2  | 1:B:40:GLN:OE1  | 2.53                     | 0.41              |
| 1:B:364:CYS:HB3  | 1:B:369:ARG:HD2 | 2.03                     | 0.41              |
| 1:D:364:CYS:HB3  | 1:D:369:ARG:HD2 | 2.03                     | 0.41              |
| 1:B:644:LEU:HD23 | 1:B:644:LEU:HA  | 1.89                     | 0.41              |
| 1:D:643:ALA:O    | 1:D:647:GLU:HG3 | 2.20                     | 0.41              |
| 1:A:503:LEU:HD23 | 1:A:503:LEU:HA  | 1.94                     | 0.41              |
| 1:A:364:CYS:HB3  | 1:A:369:ARG:HD2 | 2.03                     | 0.40              |

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed        | Favoured   | Allowed | Outliers | Percentiles |     |
|-----|-------|-----------------|------------|---------|----------|-------------|-----|
| 1   | A     | 595/770 (77%)   | 587 (99%)  | 8 (1%)  | 0        | 100         | 100 |
| 1   | B     | 595/770 (77%)   | 587 (99%)  | 8 (1%)  | 0        | 100         | 100 |
| 1   | C     | 595/770 (77%)   | 587 (99%)  | 8 (1%)  | 0        | 100         | 100 |
| 1   | D     | 595/770 (77%)   | 587 (99%)  | 8 (1%)  | 0        | 100         | 100 |
| All | All   | 2380/3080 (77%) | 2348 (99%) | 32 (1%) | 0        | 100         | 100 |

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed        | Rotameric   | Outliers | Percentiles |    |
|-----|-------|-----------------|-------------|----------|-------------|----|
| 1   | A     | 536/683 (78%)   | 534 (100%)  | 2 (0%)   | 84          | 84 |
| 1   | B     | 536/683 (78%)   | 534 (100%)  | 2 (0%)   | 84          | 84 |
| 1   | C     | 536/683 (78%)   | 534 (100%)  | 2 (0%)   | 84          | 84 |
| 1   | D     | 536/683 (78%)   | 534 (100%)  | 2 (0%)   | 84          | 84 |
| All | All   | 2144/2732 (78%) | 2136 (100%) | 8 (0%)   | 81          | 84 |

All (8) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1   | A     | 102 | ASN  |
| 1   | A     | 607 | MET  |
| 1   | B     | 102 | ASN  |
| 1   | B     | 607 | MET  |
| 1   | C     | 102 | ASN  |
| 1   | C     | 607 | MET  |
| 1   | D     | 102 | ASN  |
| 1   | D     | 607 | MET  |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1   | A     | 141 | GLN  |
| 1   | A     | 165 | HIS  |
| 1   | A     | 235 | GLN  |
| 1   | A     | 368 | ASN  |
| 1   | A     | 452 | GLN  |
| 1   | B     | 141 | GLN  |
| 1   | B     | 165 | HIS  |
| 1   | B     | 235 | GLN  |
| 1   | B     | 368 | ASN  |
| 1   | B     | 452 | GLN  |
| 1   | C     | 141 | GLN  |
| 1   | C     | 165 | HIS  |
| 1   | C     | 235 | GLN  |
| 1   | C     | 368 | ASN  |
| 1   | C     | 452 | GLN  |
| 1   | D     | 141 | GLN  |
| 1   | D     | 165 | HIS  |
| 1   | D     | 235 | GLN  |
| 1   | D     | 368 | ASN  |
| 1   | D     | 452 | GLN  |

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths |      |             | Bond angles |      |             |
|-----|------|-------|-----|------|--------------|------|-------------|-------------|------|-------------|
|     |      |       |     |      | Counts       | RMSZ | # $ Z  > 2$ | Counts      | RMSZ | # $ Z  > 2$ |
| 2   | PEX  | A     | 801 | -    | 34,34,34     | 0.55 | 0           | 37,39,39    | 0.49 | 0           |
| 3   | FZ4  | D     | 802 | -    | 17,18,18     | 0.56 | 0           | 18,22,22    | 1.04 | 1 (5%)      |
| 3   | FZ4  | C     | 802 | -    | 17,18,18     | 0.56 | 0           | 18,22,22    | 1.04 | 1 (5%)      |
| 3   | FZ4  | A     | 802 | -    | 17,18,18     | 0.56 | 0           | 18,22,22    | 1.04 | 1 (5%)      |
| 3   | FZ4  | B     | 802 | -    | 17,18,18     | 0.56 | 0           | 18,22,22    | 1.04 | 1 (5%)      |
| 2   | PEX  | B     | 801 | -    | 34,34,34     | 0.55 | 0           | 37,39,39    | 0.49 | 0           |
| 2   | PEX  | D     | 801 | -    | 34,34,34     | 0.55 | 0           | 37,39,39    | 0.49 | 0           |
| 2   | PEX  | C     | 801 | -    | 34,34,34     | 0.55 | 0           | 37,39,39    | 0.49 | 0           |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions    | Rings |
|-----|------|-------|-----|------|---------|-------------|-------|
| 2   | PEX  | A     | 801 | -    | -       | 10/38/38/38 | -     |

*Continued on next page...*

*Continued from previous page...*

| Mol | Type | Chain | Res | Link | Chirals | Torsions    | Rings   |
|-----|------|-------|-----|------|---------|-------------|---------|
| 3   | FZ4  | D     | 802 | -    | -       | 6/12/12/12  | 0/2/2/2 |
| 3   | FZ4  | C     | 802 | -    | -       | 6/12/12/12  | 0/2/2/2 |
| 3   | FZ4  | A     | 802 | -    | -       | 6/12/12/12  | 0/2/2/2 |
| 3   | FZ4  | B     | 802 | -    | -       | 6/12/12/12  | 0/2/2/2 |
| 2   | PEX  | B     | 801 | -    | -       | 10/38/38/38 | -       |
| 2   | PEX  | D     | 801 | -    | -       | 10/38/38/38 | -       |
| 2   | PEX  | C     | 801 | -    | -       | 10/38/38/38 | -       |

There are no bond length outliers.

All (4) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms       | Z    | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-------------|------|-------------|----------|
| 3   | D     | 802 | FZ4  | C07-C02-C03 | 2.35 | 119.56      | 116.86   |
| 3   | B     | 802 | FZ4  | C07-C02-C03 | 2.35 | 119.56      | 116.86   |
| 3   | A     | 802 | FZ4  | C07-C02-C03 | 2.35 | 119.56      | 116.86   |
| 3   | C     | 802 | FZ4  | C07-C02-C03 | 2.35 | 119.56      | 116.86   |

There are no chirality outliers.

All (64) torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms           |
|-----|-------|-----|------|-----------------|
| 2   | A     | 801 | PEX  | C24-O8-P1-O2    |
| 2   | A     | 801 | PEX  | O6-C2-C3-O4     |
| 2   | B     | 801 | PEX  | C24-O8-P1-O2    |
| 2   | B     | 801 | PEX  | O6-C2-C3-O4     |
| 2   | C     | 801 | PEX  | C24-O8-P1-O2    |
| 2   | C     | 801 | PEX  | O6-C2-C3-O4     |
| 2   | D     | 801 | PEX  | C24-O8-P1-O2    |
| 2   | D     | 801 | PEX  | O6-C2-C3-O4     |
| 3   | A     | 802 | FZ4  | C08-B01-O14-C15 |
| 3   | A     | 802 | FZ4  | O14-C15-C16-N17 |
| 3   | B     | 802 | FZ4  | C08-B01-O14-C15 |
| 3   | B     | 802 | FZ4  | O14-C15-C16-N17 |
| 3   | C     | 802 | FZ4  | C08-B01-O14-C15 |
| 3   | C     | 802 | FZ4  | O14-C15-C16-N17 |
| 3   | D     | 802 | FZ4  | C08-B01-O14-C15 |
| 3   | D     | 802 | FZ4  | O14-C15-C16-N17 |
| 2   | A     | 801 | PEX  | C14-C15-C16-C17 |
| 2   | B     | 801 | PEX  | C14-C15-C16-C17 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Atoms           |
|-----|-------|-----|------|-----------------|
| 2   | C     | 801 | PEX  | C14-C15-C16-C17 |
| 2   | D     | 801 | PEX  | C14-C15-C16-C17 |
| 2   | A     | 801 | PEX  | C1-C2-C3-O4     |
| 2   | B     | 801 | PEX  | C1-C2-C3-O4     |
| 2   | C     | 801 | PEX  | C1-C2-C3-O4     |
| 2   | D     | 801 | PEX  | C1-C2-C3-O4     |
| 2   | A     | 801 | PEX  | C5-C6-C7-C8     |
| 2   | B     | 801 | PEX  | C5-C6-C7-C8     |
| 2   | C     | 801 | PEX  | C5-C6-C7-C8     |
| 2   | D     | 801 | PEX  | C5-C6-C7-C8     |
| 3   | A     | 802 | FZ4  | O14-B01-C02-C03 |
| 3   | A     | 802 | FZ4  | O14-B01-C02-C07 |
| 3   | B     | 802 | FZ4  | O14-B01-C02-C03 |
| 3   | B     | 802 | FZ4  | O14-B01-C02-C07 |
| 3   | C     | 802 | FZ4  | O14-B01-C02-C03 |
| 3   | C     | 802 | FZ4  | O14-B01-C02-C07 |
| 3   | D     | 802 | FZ4  | O14-B01-C02-C03 |
| 3   | D     | 802 | FZ4  | O14-B01-C02-C07 |
| 2   | A     | 801 | PEX  | C1-O3-P1-O2     |
| 2   | B     | 801 | PEX  | C1-O3-P1-O2     |
| 2   | C     | 801 | PEX  | C1-O3-P1-O2     |
| 2   | D     | 801 | PEX  | C1-O3-P1-O2     |
| 2   | A     | 801 | PEX  | C11-C10-C9-C8   |
| 2   | B     | 801 | PEX  | C11-C10-C9-C8   |
| 2   | C     | 801 | PEX  | C11-C10-C9-C8   |
| 2   | D     | 801 | PEX  | C11-C10-C9-C8   |
| 2   | A     | 801 | PEX  | C17-C18-C19-C20 |
| 2   | B     | 801 | PEX  | C17-C18-C19-C20 |
| 2   | D     | 801 | PEX  | C17-C18-C19-C20 |
| 2   | C     | 801 | PEX  | C17-C18-C19-C20 |
| 2   | A     | 801 | PEX  | O4-C4-C5-C6     |
| 2   | B     | 801 | PEX  | O4-C4-C5-C6     |
| 2   | C     | 801 | PEX  | O4-C4-C5-C6     |
| 2   | D     | 801 | PEX  | O4-C4-C5-C6     |
| 2   | A     | 801 | PEX  | O5-C4-C5-C6     |
| 2   | B     | 801 | PEX  | O5-C4-C5-C6     |
| 2   | C     | 801 | PEX  | O5-C4-C5-C6     |
| 2   | D     | 801 | PEX  | O5-C4-C5-C6     |
| 3   | A     | 802 | FZ4  | C08-B01-C02-C03 |
| 3   | A     | 802 | FZ4  | C08-B01-C02-C07 |
| 3   | B     | 802 | FZ4  | C08-B01-C02-C03 |
| 3   | B     | 802 | FZ4  | C08-B01-C02-C07 |

*Continued on next page...*

*Continued from previous page...*


| Mol | Chain | Res | Type | Atoms           |
|-----|-------|-----|------|-----------------|
| 3   | C     | 802 | FZ4  | C08-B01-C02-C03 |
| 3   | C     | 802 | FZ4  | C08-B01-C02-C07 |
| 3   | D     | 802 | FZ4  | C08-B01-C02-C03 |
| 3   | D     | 802 | FZ4  | C08-B01-C02-C07 |


There are no ring outliers.


4 monomers are involved in 4 short contacts:


| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|-----|------|---------|--------------|
| 3   | D     | 802 | FZ4  | 1       | 0            |
| 3   | C     | 802 | FZ4  | 1       | 0            |
| 3   | A     | 802 | FZ4  | 1       | 0            |
| 3   | B     | 802 | FZ4  | 1       | 0            |



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-75712. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 144




Y Index: 144




Z Index: 144


### 6.2.2 Raw map



X Index: 144



Y Index: 144




Z Index: 144


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 112




Y Index: 112




Z Index: 118


### 6.3.2 Raw map



X Index: 172



Y Index: 172




Z Index: 113


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.25. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 120 nm<sup>3</sup>; this corresponds to an approximate mass of 108 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.326 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.326 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


| Resolution estimate (Å)   | Estimation criterion (FSC cut-off) |      |          |
|---------------------------|------------------------------------|------|----------|
|                           | 0.143                              | 0.5  | Half-bit |
| Reported by author        | 3.07                               | -    | -        |
| Author-provided FSC curve | 3.07                               | 3.44 | 3.10     |
| Unmasked-calculated*      | 3.61                               | 4.04 | 3.65     |

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.61 differs from the reported value 3.07 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-75712 and PDB model 11IE. Per-residue inclusion information can be found in section 3 on page 7.


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.25 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.25).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.25) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion     | Q-score            |
|-------|--------------------|--------------------|
| All   | <div></div> 0.8350 | <div></div> 0.5530 |
| A     | <div></div> 0.8350 | <div></div> 0.5520 |
| B     | <div></div> 0.8350 | <div></div> 0.5530 |
| C     | <div></div> 0.8350 | <div></div> 0.5530 |
| D     | <div></div> 0.8350 | <div></div> 0.5530 |

