



Full wwPDB EM Validation Report ⓘ

Jun 22, 2026 – 01:26 pm BST

PDB ID : 31MR / pdb_000031mr
EMDB ID : EMD-58555
Title : CryoEM structure of a catalytically inactive CXC Chemokine-degrading protease SpyCEP from Streptococcus pyogenes complexed with an anti-PA-domain monoclonal antibody
Authors : Lau, R.J.; Barritt, J.D.; Wu, G.H.Y.; Huemer, C.B.; Matthews, S.
Deposited on : 2026-06-12
Resolution : 3.07 Å (reported)
Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13977 (2.57 - 3.57)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	221	
2	B	1346	
3	H	122	
4	L	113	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 25127 atoms, of which 12465 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cell envelope proteinase A.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	95	Total	C	H	N	O	S	0	0
			1468	463	730	132	141	2		

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	MET	-	initiating methionine	UNP Q201Z7
A	-7	GLY	-	expression tag	UNP Q201Z7
A	-6	SER	-	expression tag	UNP Q201Z7
A	-5	SER	-	expression tag	UNP Q201Z7
A	-4	HIS	-	expression tag	UNP Q201Z7
A	-3	HIS	-	expression tag	UNP Q201Z7
A	-2	HIS	-	expression tag	UNP Q201Z7
A	-1	HIS	-	expression tag	UNP Q201Z7
A	0	HIS	-	expression tag	UNP Q201Z7
A	1	HIS	-	expression tag	UNP Q201Z7
A	119	ALA	ASP	engineered mutation	UNP Q201Z7

- Molecule 2 is a protein called Cell envelope proteinase A.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	B	1304	Total	C	H	N	O	S	0	0
			20102	6378	9978	1726	1996	24		

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	209	MET	-	initiating methionine	UNP Q201Z7
B	210	GLY	-	expression tag	UNP Q201Z7
B	211	SER	-	expression tag	UNP Q201Z7
B	212	SER	-	expression tag	UNP Q201Z7
B	585	ALA	SER	engineered mutation	UNP Q201Z7
B	884	ASN	ASP	variant	UNP Q201Z7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	1547	LEU	-	expression tag	UNP Q201Z7
B	1548	GLU	-	expression tag	UNP Q201Z7
B	1549	HIS	-	expression tag	UNP Q201Z7
B	1550	HIS	-	expression tag	UNP Q201Z7
B	1551	HIS	-	expression tag	UNP Q201Z7
B	1552	HIS	-	expression tag	UNP Q201Z7
B	1553	HIS	-	expression tag	UNP Q201Z7
B	1554	HIS	-	expression tag	UNP Q201Z7

- Molecule 3 is a protein called Anti-PA-domain monoclonal antibody (3F2G10) Heavy chain variable region.


Mol	Chain	Residues	Atoms						AltConf	Trace
3	H	122	Total	C	H	N	O	S	0	0
			1850	586	913	166	180	5		

- Molecule 4 is a protein called Anti-PA-domain monoclonal antibody (3F2G10) Light chain variable region.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	L	113	Total	C	H	N	O	S	0	0
			1707	540	844	143	174	6		



- Molecule 4: Anti-PA-domain monoclonal antibody (3F2G10) Light chain variable region



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	660420	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	79000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.285	Depositor
Minimum map value	-0.124	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.05	Depositor
Map size (\AA)	375.0, 375.0, 375.0	wwPDB
Map dimensions	500, 500, 500	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.75, 0.75, 0.75	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.69	0/753	1.46	4/1019 (0.4%)
2	B	0.71	0/10326	1.38	39/13978 (0.3%)
3	H	0.73	0/956	1.37	3/1289 (0.2%)
4	L	0.67	0/880	1.39	4/1185 (0.3%)
All	All	0.71	0/12915	1.38	50/17471 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	12
4	L	0	1
All	All	0	13

There are no bond length outliers.

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	B	353	TYR	N-CA-C	11.09	124.96	110.43
2	B	761	GLU	CA-CB-CG	10.20	134.50	114.10
2	B	352	VAL	N-CA-C	-9.89	96.94	109.30
2	B	351	ARG	N-CA-C	9.35	123.35	107.93
3	H	67	PHE	CA-CB-CG	8.87	122.67	113.80
2	B	761	GLU	N-CA-CB	-8.87	95.23	111.37
2	B	421	ASP	N-CA-C	8.57	123.02	109.39
2	B	319	ASN	CA-CB-CG	7.97	120.57	112.60
4	L	49	SER	N-CA-C	7.40	122.87	113.25
2	B	550	TRP	N-CA-C	6.91	121.16	112.87
2	B	484	ASN	CA-CB-CG	-6.90	105.70	112.60
2	B	489	GLN	CA-C-N	6.72	133.02	122.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	489	GLN	C-N-CA	6.72	133.02	122.94
2	B	1140	HIS	N-CA-C	6.68	118.64	111.36
2	B	928	PHE	CA-C-N	6.62	130.82	121.02
2	B	928	PHE	C-N-CA	6.62	130.82	121.02
2	B	1136	LEU	N-CA-C	6.53	118.29	107.20
4	L	10	SER	N-CA-C	6.41	119.94	111.28
2	B	422	ILE	CA-C-N	6.38	128.82	120.28
2	B	422	ILE	C-N-CA	6.38	128.82	120.28
2	B	352	VAL	N-CA-CB	6.08	117.79	110.31
2	B	484	ASN	N-CA-C	5.95	118.89	110.50
2	B	1017	ARG	NE-CZ-NH2	5.74	124.36	119.20
2	B	572	THR	N-CA-C	5.57	117.48	110.24
2	B	353	TYR	CA-CB-CG	-5.56	103.90	113.90
2	B	492	ARG	N-CA-CB	-5.43	103.93	112.13
2	B	643	GLN	OE1-CD-NE2	-5.43	117.17	122.60
2	B	530	ASP	CA-CB-CG	5.42	118.02	112.60
1	A	177	ILE	N-CA-C	5.42	116.91	111.00
2	B	536	ALA	N-CA-C	5.38	114.49	108.25
2	B	1094	GLN	N-CA-C	5.34	117.10	111.28
2	B	583	GLY	N-CA-C	5.30	118.21	111.37
3	H	64	ARG	NE-CZ-NH2	5.25	123.93	119.20
2	B	837	ASN	CA-C-N	5.25	127.28	120.56
2	B	837	ASN	C-N-CA	5.25	127.28	120.56
2	B	1386	PHE	N-CA-CB	-5.22	101.90	110.41
1	A	126	HIS	CB-CG-CD2	-5.20	124.44	131.20
2	B	930	SER	CA-C-N	5.19	130.73	121.75
2	B	930	SER	C-N-CA	5.19	130.73	121.75
2	B	351	ARG	CB-CA-C	-5.16	103.12	110.34
2	B	1002	ARG	NE-CZ-NH2	5.14	123.83	119.20
4	L	60	ARG	NE-CZ-NH2	5.13	123.82	119.20
2	B	1466	HIS	CB-CG-CD2	-5.12	124.54	131.20
2	B	1136	LEU	CB-CA-C	-5.09	105.12	111.43
3	H	97	ARG	NE-CZ-NH2	5.08	123.77	119.20
1	A	164	VAL	CA-C-N	5.06	128.47	120.47
1	A	164	VAL	C-N-CA	5.06	128.47	120.47
4	L	49	SER	CA-C-O	-5.03	114.00	118.63
2	B	492	ARG	CA-C-N	5.01	130.99	122.37
2	B	492	ARG	C-N-CA	5.01	130.99	122.37

There are no chirality outliers.

All (13) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	1023	TYR	Sidechain
2	B	1229	TYR	Sidechain
2	B	1247	TYR	Sidechain
2	B	351	ARG	Sidechain
2	B	353	TYR	Sidechain
2	B	428	TYR	Sidechain
2	B	492	ARG	Sidechain
2	B	507	PHE	Sidechain
2	B	641	ARG	Sidechain
2	B	666	TYR	Sidechain
2	B	758	TYR	Sidechain
2	B	810	TYR	Sidechain
4	L	38	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	738	730	729	4	0
2	B	10124	9978	9975	20	0
3	H	937	913	913	4	0
4	L	863	844	844	0	0
All	All	12662	12465	12461	25	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (25) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:HIS:CD2	1:A:128:SER:H	2.24	0.56
2:B:581:GLN:O	2:B:586:MET:HE1	2.11	0.50
2:B:350:GLU:C	2:B:351:ARG:HG3	2.39	0.48
2:B:353:TYR:CE2	2:B:368:GLY:HA2	2.49	0.48
2:B:838:VAL:HG11	2:B:1073:TYR:CE2	2.50	0.47
1:A:126:HIS:CE1	2:B:572:THR:HG23	2.50	0.46
3:H:96:ALA:HB1	3:H:109:ILE:CG2	2.45	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:6:GLU:CD	3:H:115:GLY:H	2.23	0.45
2:B:827:THR:HA	2:B:890:GLY:HA2	1.99	0.45
3:H:67:PHE:CZ	3:H:82:MET:HE3	2.52	0.45
2:B:640:PRO:HG2	2:B:762:GLY:H	1.82	0.44
2:B:1386:PHE:CE1	2:B:1422:LEU:HD13	2.53	0.44
2:B:550:TRP:CD1	2:B:550:TRP:C	2.96	0.43
2:B:411:ALA:HB2	2:B:512:PHE:CD2	2.54	0.43
2:B:550:TRP:O	2:B:550:TRP:CG	2.72	0.43
2:B:1289:GLU:HB2	2:B:1343:LEU:HB2	2.00	0.43
2:B:666:TYR:CG	2:B:666:TYR:O	2.72	0.43
2:B:1440:PHE:CZ	2:B:1451:VAL:HG21	2.54	0.42
2:B:550:TRP:CD1	2:B:550:TRP:O	2.72	0.42
2:B:1289:GLU:CB	2:B:1343:LEU:HB2	2.50	0.41
3:H:58:PHE:CE1	3:H:105:ILE:HG21	2.55	0.41
2:B:672:GLY:HA2	2:B:1494:TYR:CE2	2.55	0.41
1:A:129:MET:HE3	2:B:249:MET:HE1	2.02	0.41
1:A:129:MET:HE3	2:B:249:MET:CE	2.50	0.41
2:B:1089:GLY:HA2	2:B:1092:LEU:HD12	2.03	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	93/221 (42%)	86 (92%)	7 (8%)	0	100	100
2	B	1302/1346 (97%)	1227 (94%)	75 (6%)	0	100	100
3	H	120/122 (98%)	115 (96%)	5 (4%)	0	100	100
4	L	111/113 (98%)	102 (92%)	9 (8%)	0	100	100
All	All	1626/1802 (90%)	1530 (94%)	96 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	79/190 (42%)	79 (100%)	0	100	100
2	B	1107/1145 (97%)	1107 (100%)	0	100	100
3	H	99/99 (100%)	99 (100%)	0	100	100
4	L	100/100 (100%)	100 (100%)	0	100	100
All	All	1385/1534 (90%)	1385 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	149	GLN
2	B	312	ASN
2	B	322	GLN
2	B	475	HIS
2	B	546	HIS
2	B	581	GLN
2	B	606	GLN
2	B	689	ASN
2	B	732	ASN
2	B	849	HIS
2	B	878	ASN
2	B	905	HIS
2	B	987	GLN
2	B	1082	ASN
2	B	1132	ASN
2	B	1140	HIS
2	B	1246	GLN
2	B	1370	ASN
2	B	1428	ASN
2	B	1450	GLN
3	H	81	GLN
3	H	102	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	L	6	GLN
4	L	37	ASN
4	L	96	GLN
4	L	97	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-58555. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 250




Y Index: 250




Z Index: 250

6.2.2 Raw map



X Index: 250



Y Index: 250




Z Index: 250


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 256




Y Index: 282




Z Index: 231


6.3.2 Raw map



X Index: 256



Y Index: 282




Z Index: 231


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 96 nm^3 ; this corresponds to an approximate mass of 87 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.326 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.326 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.07	-	-
Author-provided FSC curve	3.09	3.38	3.14
Unmasked-calculated*	3.49	3.91	3.54

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.49 differs from the reported value 3.07 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-58555 and PDB model 31MR. Per-residue inclusion information can be found in section 3 on page 5.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).

9.4 Atom inclusion [i](#)



At the recommended contour level, 77% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.7720	<div></div> 0.4340
A	<div></div> 0.8270	<div></div> 0.4530
B	<div></div> 0.7860	<div></div> 0.4390
H	<div></div> 0.6990	<div></div> 0.3980
L	<div></div> 0.6890	<div></div> 0.3980

