



Full wwPDB EM Validation Report ⓘ

Aug 9, 2026 – 08:00 PM JST

PDB ID : 22TR / pdb_000022tr
EMDB ID : EMD-68663
Title : Cryo-EM structure of Crimean-Congo hemorrhagic fever virus RNA polymerase in complex with 5' vRNA promotor
Authors : Ma, J.; Yang, K.; Wu, H.; Liang, Z.
Deposited on : 2026-01-22
Resolution : 2.75 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev133
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	10570 (2.25 - 3.25)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	3974	
2	B	15	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11595 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-directed RNA polymerase L.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1498	Total	C	N	O	S	0	0
			11359	7210	1974	2096	79		

There are 29 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	3946	TRP	-	expression tag	UNP Q6TQR6
A	3947	SER	-	expression tag	UNP Q6TQR6
A	3948	HIS	-	expression tag	UNP Q6TQR6
A	3949	PRO	-	expression tag	UNP Q6TQR6
A	3950	GLN	-	expression tag	UNP Q6TQR6
A	3951	PHE	-	expression tag	UNP Q6TQR6
A	3952	GLU	-	expression tag	UNP Q6TQR6
A	3953	LYS	-	expression tag	UNP Q6TQR6
A	3954	GLY	-	expression tag	UNP Q6TQR6
A	3955	SER	-	expression tag	UNP Q6TQR6
A	3956	SER	-	expression tag	UNP Q6TQR6
A	3957	GLY	-	expression tag	UNP Q6TQR6
A	3958	GLY	-	expression tag	UNP Q6TQR6
A	3959	SER	-	expression tag	UNP Q6TQR6
A	3960	SER	-	expression tag	UNP Q6TQR6
A	3961	GLY	-	expression tag	UNP Q6TQR6
A	3962	SER	-	expression tag	UNP Q6TQR6
A	3963	SER	-	expression tag	UNP Q6TQR6
A	3964	GLY	-	expression tag	UNP Q6TQR6
A	3965	GLY	-	expression tag	UNP Q6TQR6
A	3966	ALA	-	expression tag	UNP Q6TQR6
A	3967	TRP	-	expression tag	UNP Q6TQR6
A	3968	SER	-	expression tag	UNP Q6TQR6
A	3969	HIS	-	expression tag	UNP Q6TQR6
A	3970	PRO	-	expression tag	UNP Q6TQR6
A	3971	GLN	-	expression tag	UNP Q6TQR6
A	3972	PHE	-	expression tag	UNP Q6TQR6
A	3973	GLU	-	expression tag	UNP Q6TQR6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	3974	LYS	-	expression tag	UNP Q6TQR6

- Molecule 2 is a RNA chain called RNA (5'-R(P*UP*CP*UP*CP*AP*AP*AP*GP*AP*UP*AP*UP*CP*GP*U)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	11	Total	C	N	O	P	0	0
			233	105	42	75	11		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
3	A	2	Total	Zn	0
			2	2	


- Molecule 4 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
4	A	1	Total	Mn	0
			1	1	

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: RNA-directed RNA polymerase L








CYS	ARG	THR	ASP	ASP	THR
SER	VAL	ASP	PHE	PHE	ASP
LYS	VAL	HIS	PRO	PRO	ASP
ARG	MET	HIS	ASP	ASP	ARG
ALA	ALA	VAL	ARG	GLU	ALA
GLY	ARG	ASP	GLU	ALA	GLU
PRO	ARG	MET	ALA	ALA	ALA
ARG	SER	GLU	ALA	LEU	LYS
CYS	LEU	GLU	ALA	LEU	THR
ASN	ASN	LEU	LEU	ASN	GLY
PHE	HIS	LYS	LYS	THR	GLY
ALA	ALA	ARG	THR	GLY	GLY
LEU	LEU	GLU	GLY	GLY	GLY
LEU	SER	ALA	ASN	GLY	GLY
SER	MET	VAL	LEU	GLY	GLY
LEU	PHE	ALA	PHE	GLY	GLY
ILE	LEU	GLU	ASN	GLY	GLY
HIS	ASP	ASN	TRP	GLY	GLY
GLU	GLU	TRP	ASP	GLY	GLY
ASP	MET	ASP	ASP	GLY	GLY
TRP	LEU	ILE	ASP	GLY	GLY
GLN	LEU	GLN	ASP	GLY	GLY
ARG	PRO	MET	TRP	GLY	GLY
ILE	GLU	LEU	SER	GLY	GLY
GLY	LEU	THR	HIS	GLY	GLY
LYS	LYS	GLY	PRO	GLY	GLY
ILE	ILE	ALA	GLN	GLY	GLY
VAL	SER	LEU	GLU	GLY	GLY
ASN	VAL	LYS	LYS	GLY	GLY
ALA	ASN	PRO	GLY	GLY	GLY
ALA	CYS	SER	SER	GLY	GLY
ASN	LYS	ALA	SER	GLY	GLY
ASN	MET	VAL	GLY	GLY	GLY
GLY	GLY	THR	GLY	GLY	GLY
LEU	ASN	GLN	SER	GLY	GLY
GLY	PHE	PHE	SER	GLY	GLY
ASP	GLU	VAL	GLY	GLY	GLY
VAL	LYS	ASP	GLY	GLY	GLY
VAL	PHE	GLN	ALA	ALA	ALA
ASN	GLU	CYS	TRP	TRP	TRP
ILE	THR	GLN	SER	SER	SER
VAL	ILE	GLN	HIS	HIS	HIS
LEU	ILE	GLN	PRO	PRO	PRO
VAL	LEU	ILE	PHE	PHE	PHE
PRO	LYS	SER	GLU	GLU	GLU
LEU	ASP	LEU	LEU	LEU	LEU
LYS	ASN	ASP	ASP	ASP	ASP
LYS	LYS	ASP	ASP	ASP	ASP
MET	ALA	LEU	LEU	LEU	LEU
ARG	ARG	MET	ALA	ALA	ALA
LYS	LEU	ALA	ASN	ASN	ASN
PRO	PRO	ASP	THR	THR	THR
LEU	LEU	LYS	THR	THR	THR
LYS	GLU	LYS	THR	THR	THR
GLU	GLU	GLU	THR	THR	THR

● Molecule 2: RNA (5'-R(P*UP*CP*UP*CP*AP*AP*AP*GP*AP*UP*AP*UP*CP*GP*U)-3')



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	66103	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.292	Depositor
Minimum map value	-0.191	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.008	Depositor
Recommended contour level	0.025	Depositor
Map size ($\text{\AA}$)	233.92, 233.92, 233.92	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.731, 0.731, 0.731	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.09	0/11542	0.25	0/15635
2	B	0.09	0/260	0.26	0/402
All	All	0.09	0/11802	0.25	0/16037

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	11359	0	11018	172	0
2	B	233	0	119	6	0
3	A	2	0	0	0	0
4	A	1	0	0	0	0
All	All	11595	0	11137	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:3079:GLU:HG2	1:A:3221:ARG:HH21	1.51	0.76
1:A:1550:CYS:SG	1:A:1556:ASN:ND2	2.60	0.74
1:A:1374:LEU:HD12	1:A:1378:LYS:HE3	1.75	0.69
1:A:2808:TRP:O	1:A:2823:ARG:NH1	2.28	0.67
1:A:1069:GLY:O	1:A:1258:ASN:ND2	2.28	0.66
1:A:1374:LEU:HD13	1:A:1382:MET:HE1	1.77	0.66
1:A:1375:PRO:HD2	1:A:1382:MET:HE3	1.77	0.66
1:A:1806:ASP:OD2	1:A:2302:ASN:ND2	2.30	0.64
1:A:2703:SER:HA	1:A:3008:ILE:HG22	1.80	0.63
1:A:2415:LEU:HD11	1:A:2437:LEU:HB2	1.80	0.63
1:A:1424:GLN:NE2	1:A:2629:THR:OG1	2.32	0.63
1:A:2776:GLN:HB2	1:A:2818:LEU:HD12	1.82	0.62
1:A:1455:PHE:O	1:A:1459:THR:HG23	2.00	0.61
1:A:2374:MET:HE1	1:A:2483:LEU:HB2	1.83	0.61
1:A:1023:ILE:HD13	1:A:1035:ILE:HG21	1.84	0.60
1:A:2828:LEU:O	1:A:2832:ILE:HD12	2.02	0.59
1:A:2386:CYS:SG	1:A:2390:LYS:NZ	2.75	0.59
1:A:1252:ARG:NH2	2:B:9:A:N7	2.50	0.59
1:A:1081:ARG:NH1	1:A:1399:TYR:O	2.36	0.58
1:A:2483:LEU:HD11	1:A:2561:MET:HE2	1.84	0.58
1:A:1316:ILE:HG23	1:A:2628:VAL:HG13	1.87	0.56
1:A:1360:LEU:HD11	1:A:1391:MET:HE1	1.87	0.56
1:A:1789:GLU:HA	1:A:1792:MET:HG2	1.86	0.56
1:A:3044:SER:O	1:A:3048:VAL:HG13	2.05	0.56
1:A:1552:ARG:NH1	2:B:3:U:OP1	2.39	0.56
1:A:3070:ILE:O	1:A:3073:SER:OG	2.23	0.56
1:A:955:PRO:HG2	1:A:958:LEU:HB2	1.88	0.55
1:A:2813:LYS:HB2	1:A:2820:LEU:HD13	1.89	0.55
1:A:1388:SER:OG	1:A:1389:GLY:N	2.39	0.54
1:A:3051:ASN:O	1:A:3055:ASN:ND2	2.33	0.54
1:A:1316:ILE:HG12	1:A:2628:VAL:HG22	1.89	0.54
1:A:2529:LEU:HB2	1:A:2533:LEU:HD23	1.89	0.53
1:A:3067:LYS:HB3	1:A:3209:VAL:HG21	1.90	0.53
1:A:1377:ASN:ND2	1:A:1380:GLU:OE2	2.37	0.53
1:A:1321:VAL:HG11	1:A:2782:LEU:HB3	1.91	0.52
1:A:3195:PHE:HE2	1:A:3197:MET:HE2	1.74	0.52
1:A:962:MET:HE3	1:A:1665:LEU:HB3	1.92	0.52
1:A:2660:LEU:HD23	1:A:2832:ILE:HD13	1.92	0.52
1:A:2557:ARG:NH1	1:A:2557:ARG:O	2.43	0.51
1:A:3014:VAL:HG12	1:A:3044:SER:HB2	1.92	0.51
1:A:1306:LYS:HG2	1:A:2775:ILE:HD13	1.90	0.51
1:A:946:LEU:HD12	1:A:954:LEU:HB2	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1562:LEU:O	1:A:1566:ILE:HD12	2.10	0.51
1:A:1580:TRP:HE3	1:A:1589:VAL:HG11	1.75	0.51
1:A:2829:CYS:HA	1:A:2832:ILE:HD12	1.92	0.51
1:A:1054:TYR:O	1:A:1060:ASN:ND2	2.43	0.51
1:A:1537:VAL:HG23	1:A:1539:PRO:HD3	1.92	0.51
1:A:2652:TYR:O	1:A:2656:THR:OG1	2.18	0.51
1:A:2454:VAL:HA	1:A:2458:ILE:HB	1.92	0.51
1:A:2678:ALA:HB1	1:A:2681:LEU:HB2	1.93	0.51
1:A:1760:GLU:N	1:A:1760:GLU:OE2	2.44	0.50
1:A:2515:SER:OG	1:A:2517:ASP:OD1	2.29	0.50
1:A:983:MET:HB2	1:A:1759:LYS:HE2	1.92	0.50
1:A:1316:ILE:HD11	1:A:3217:ILE:HG23	1.94	0.50
1:A:1503:TYR:OH	1:A:1613:ASN:OD1	2.25	0.50
1:A:1347:LEU:O	1:A:1351:THR:OG1	2.26	0.50
1:A:1536:LEU:HB2	1:A:2569:VAL:HB	1.94	0.50
1:A:1528:GLY:HA3	1:A:1566:ILE:HG12	1.94	0.50
1:A:2529:LEU:HD21	1:A:2534:TYR:HB2	1.93	0.50
1:A:2410:LYS:O	1:A:2414:VAL:HG13	2.12	0.49
1:A:2571:ASP:OD1	1:A:2571:ASP:N	2.45	0.49
1:A:2628:VAL:HG23	1:A:3217:ILE:O	2.12	0.49
1:A:2367:CYS:SG	1:A:2368:CYS:N	2.85	0.49
1:A:2503:LEU:O	1:A:2506:THR:OG1	2.31	0.49
1:A:2908:ILE:HG21	1:A:3121:VAL:HG21	1.95	0.49
1:A:1428:CYS:HB2	1:A:1492:PHE:HB2	1.93	0.49
1:A:2517:ASP:OD1	1:A:2517:ASP:N	2.42	0.49
1:A:969:GLY:HA2	1:A:2376:GLN:HE22	1.78	0.48
1:A:3046:LEU:HA	1:A:3049:PHE:CE1	2.49	0.48
1:A:3057:ASN:O	1:A:3061:SER:HB3	2.12	0.48
1:A:1232:LEU:HD13	1:A:1373:LYS:HB2	1.96	0.48
1:A:1382:MET:HB2	1:A:1400:LEU:O	2.14	0.48
1:A:1381:ASN:ND2	2:B:2:C:O2	2.45	0.48
1:A:2589:ALA:HB3	1:A:2592:LYS:HG3	1.96	0.48
1:A:1357:GLY:H	1:A:1374:LEU:HB2	1.78	0.47
1:A:1424:GLN:HE22	1:A:2626:PRO:HB2	1.79	0.47
1:A:1265:ARG:NH2	2:B:1:U:O4	2.48	0.47
1:A:1587:PRO:HB2	1:A:1589:VAL:HG13	1.97	0.47
1:A:3008:ILE:HD12	1:A:3041:VAL:HG13	1.96	0.47
1:A:2498:TYR:CD2	1:A:2548:LEU:HB2	2.50	0.47
1:A:1024:LYS:HA	1:A:1032:LEU:HD21	1.97	0.47
1:A:1401:ASN:N	1:A:1401:ASN:OD1	2.48	0.47
1:A:1470:TYR:OH	1:A:1572:ASP:OD2	2.28	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1792:MET:HA	1:A:1792:MET:HE3	1.96	0.46
1:A:2436:LEU:H	1:A:2436:LEU:HD22	1.81	0.46
1:A:2756:GLU:O	1:A:2760:ILE:HG12	2.15	0.46
1:A:1224:TRP:CD2	1:A:1391:MET:HG3	2.50	0.46
1:A:2828:LEU:O	1:A:2831:LEU:HB3	2.16	0.46
1:A:1058:LEU:HD23	1:A:1264:ILE:H	1.80	0.46
1:A:1783:LEU:O	1:A:1787:ILE:HG23	2.15	0.46
1:A:3014:VAL:HB	1:A:3045:HIS:CD2	2.51	0.46
1:A:1027:ARG:HH11	1:A:1031:CYS:HB3	1.79	0.46
1:A:2680:ALA:HB1	1:A:2859:ILE:HG23	1.98	0.46
1:A:2368:CYS:C	1:A:2370:PHE:H	2.23	0.45
1:A:1307:ARG:HD2	1:A:2668:VAL:HB	1.98	0.45
1:A:966:LEU:HD21	1:A:2369:SER:HB2	1.97	0.45
1:A:1307:ARG:NH1	1:A:2666:LEU:O	2.50	0.45
1:A:3103:ASN:ND2	1:A:3127:ASP:O	2.41	0.45
1:A:1003:GLU:OE1	1:A:1013:LYS:NZ	2.49	0.44
1:A:2410:LYS:HE3	2:B:7:A:H5'	1.99	0.44
1:A:2610:MET:HE1	1:A:2665:ARG:HD3	1.99	0.44
1:A:1457:GLU:HG3	1:A:1469:SER:HB3	1.98	0.44
1:A:1632:LEU:HD22	1:A:2404:PRO:HD2	1.98	0.44
1:A:1143:CYS:HB2	1:A:1225:LEU:HD22	1.99	0.44
1:A:2329:LEU:HD12	1:A:2583:GLY:HA2	1.99	0.44
1:A:2354:CYS:HB3	1:A:2574:LEU:HD13	1.98	0.44
1:A:1567:TYR:O	1:A:1571:ARG:HB2	2.17	0.44
1:A:1413:TYR:HD1	1:A:2636:LEU:HD22	1.82	0.44
1:A:1110:VAL:HG12	1:A:1147:PRO:HD3	2.00	0.43
1:A:2630:ASN:HA	1:A:2633:PHE:CD2	2.52	0.43
1:A:2355:ILE:HG23	1:A:2569:VAL:HG22	2.00	0.43
1:A:2744:PHE:HD2	1:A:3020:PHE:HE2	1.66	0.43
1:A:1534:SER:HA	1:A:2570:SER:HB2	2.00	0.43
1:A:2656:THR:O	1:A:2659:THR:OG1	2.35	0.43
1:A:1757:PRO:HB2	1:A:1762:ILE:HD11	2.01	0.43
1:A:3014:VAL:HG11	1:A:3048:VAL:HG11	1.99	0.43
1:A:1384:CYS:O	1:A:1397:PRO:HA	2.19	0.43
1:A:2318:LYS:HD3	1:A:2579:GLU:CD	2.43	0.43
1:A:1584:ASP:OD2	1:A:2585:ARG:NH2	2.52	0.43
1:A:2340:ILE:O	1:A:2344:SER:OG	2.29	0.43
1:A:2396:ASN:O	1:A:2399:ARG:HG2	2.18	0.43
1:A:3045:HIS:HA	1:A:3048:VAL:HG22	2.01	0.43
1:A:3046:LEU:HA	1:A:3049:PHE:CD1	2.54	0.43
1:A:1084:LYS:HB3	1:A:1084:LYS:HE3	1.86	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1522:LEU:O	1:A:1525:LEU:HB3	2.19	0.42
1:A:2998:LEU:HD23	1:A:2998:LEU:HA	1.81	0.42
1:A:3221:ARG:HA	1:A:3221:ARG:HD2	1.85	0.42
1:A:2801:ARG:NH1	1:A:3005:SER:HB2	2.34	0.42
1:A:1427:ARG:NH1	1:A:3083:ASN:O	2.51	0.42
1:A:1088:VAL:HG22	1:A:1368:ILE:HG21	2.00	0.42
1:A:1227:LYS:NZ	1:A:1391:MET:O	2.40	0.42
1:A:2759:PHE:CD1	1:A:3066:GLN:HG2	2.54	0.42
1:A:1462:LEU:HD13	1:A:1560:LEU:HD11	2.01	0.42
1:A:2576:PHE:O	1:A:2579:GLU:HG2	2.19	0.42
1:A:1536:LEU:HD12	1:A:2569:VAL:HG11	2.02	0.42
1:A:2859:ILE:HG13	1:A:2860:ILE:HG12	2.02	0.42
1:A:1363:ILE:HD13	1:A:1363:ILE:HA	1.96	0.42
1:A:2661:SER:HA	1:A:2665:ARG:HB3	2.02	0.42
1:A:2826:SER:O	1:A:2830:ILE:HG22	2.19	0.42
1:A:1032:LEU:HD23	1:A:1032:LEU:HA	1.82	0.42
1:A:1662:ARG:NH2	1:A:1765:ASP:OD2	2.53	0.42
1:A:1554:GLU:HG2	1:A:1555:ASP:N	2.35	0.42
1:A:1277:GLN:CD	1:A:1505:PHE:HB2	2.45	0.41
1:A:2556:GLN:HB3	1:A:2561:MET:HB2	2.01	0.41
1:A:1011:SER:HB3	1:A:1570:VAL:HG13	2.02	0.41
1:A:1274:PHE:CD2	1:A:1455:PHE:HB2	2.55	0.41
1:A:1424:GLN:HG2	1:A:1429:LEU:HD22	2.02	0.41
1:A:2624:SER:HB3	1:A:3196:TYR:HB2	2.02	0.41
1:A:3012:THR:HB	1:A:3042:ILE:HG21	2.02	0.41
1:A:1081:ARG:NH2	1:A:1404:GLN:OE1	2.53	0.41
1:A:1545:LYS:HE3	1:A:2565:ALA:HB3	2.02	0.41
1:A:2742:SER:OG	1:A:2743:SER:N	2.53	0.41
1:A:1604:ASP:HB2	1:A:2587:THR:HG21	2.02	0.41
1:A:1052:LEU:HD23	1:A:1052:LEU:HA	1.94	0.41
1:A:1525:LEU:HD13	1:A:1562:LEU:HD23	2.02	0.41
1:A:2652:TYR:CE1	1:A:2796:VAL:HG11	2.56	0.41
1:A:1004:LEU:HD21	1:A:2542:TRP:HB3	2.03	0.41
1:A:1533:LEU:O	1:A:2570:SER:OG	2.26	0.41
1:A:2303:LEU:HD12	1:A:2303:LEU:HA	1.90	0.41
1:A:2649:ILE:HD13	1:A:2649:ILE:HA	1.89	0.41
1:A:3079:GLU:HG2	1:A:3221:ARG:NH2	2.28	0.41
1:A:1792:MET:SD	1:A:2378:VAL:HG22	2.61	0.40
1:A:1111:ARG:H	1:A:1111:ARG:HG2	1.72	0.40
1:A:2407:SER:OG	2:B:6:A:N1	2.54	0.40
1:A:2415:LEU:HD21	1:A:2437:LEU:HA	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2515:SER:C	1:A:2517:ASP:H	2.29	0.40
1:A:2633:PHE:CD1	1:A:2633:PHE:C	2.99	0.40
1:A:1295:ILE:HG12	1:A:1412:LEU:HD21	2.03	0.40
1:A:1299:GLU:O	1:A:1303:GLU:HG2	2.21	0.40
1:A:2573:PHE:HA	1:A:2581:MET:O	2.21	0.40
1:A:1646:LEU:HD12	1:A:1646:LEU:HA	1.89	0.40
1:A:3092:LEU:HD21	1:A:3197:MET:HE1	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1460/3974 (37%)	1421 (97%)	39 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1207/3623 (33%)	1206 (100%)	1 (0%)	88	95

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2529	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1055	ASN
1	A	1244	ASN
1	A	1395	GLN
1	A	1510	ASN
1	A	1519	ASN
1	A	1606	GLN
1	A	1639	HIS
1	A	1768	GLN
1	A	2302	ASN
1	A	2331	ASN
1	A	2345	ASN
1	A	2348	ASN
1	A	2376	GLN
1	A	2377	GLN
1	A	3059	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B	10/15 (66%)	4 (40%)	0

All (4) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B	5	A
2	B	6	A
2	B	7	A
2	B	11	A

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-68663. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 167




Y Index: 165




Z Index: 142


6.3.2 Raw map



X Index: 167



Y Index: 165




Z Index: 186


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.025. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 94 nm³; this corresponds to an approximate mass of 85 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.364 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.364 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.75	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.58	4.20	3.66

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.58 differs from the reported value 2.75 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-68663 and PDB model 22TR. Per-residue inclusion information can be found in section [3](#) on page [5](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.025 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.025).

9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 88% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.025) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8750	0.5010
A	0.8740	0.5000
B	0.9010	0.5070

