



Full wwPDB EM Validation Report ⓘ

Jun 25, 2025 – 01:45 pm BST

PDB ID : 5MM7 / pdb_00005mm7
EMDB ID : EMD-3530
Title : Ustilago maydis kinesin-5 motor domain with N-terminal extension in the AMPPNP state bound to microtubules
Authors : Moores, C.A.; von Loeffelholz, O.
Deposited on : 2016-12-08
Resolution : 5.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 5.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	K	457	<div> <div>23%</div> <div>65%</div> <div>22%</div> <div>13%</div> </div>
2	A	439	<div> <div>73%</div> <div>25%</div> <div>.</div> </div>
3	B	427	<div> <div>75%</div> <div>24%</div> </div>

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 9900 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called kinesin-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	K	397	Total	C	N	O	S	0	0
			3043	1861	554	616	12		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	1	SER	-	expression tag	UNP A0A0D1DQH0

- Molecule 2 is a protein called Tubulin alpha-1A chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	428	Total	C	N	O	S	0	0
			3350	2121	570	638	21		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	265	GLY	ALA	conflict	UNP P02550


- Molecule 3 is a protein called Tubulin beta chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B	426	Total	C	N	O	S	0	0
			3352	2105	575	647	25		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
4	K	1	Total	Mg	0
			1	1	
4	A	1	Total	Mg	0
			1	1	

- Molecule 5 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
5	K	1	31	10	6	12	3	0

- Molecule 6 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
6	A	1	32	10	5	14	3	0

- Molecule 7 is TAXOL (CCD ID: TA1) (formula: C₄₇H₅₁NO₁₄).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
7	B	1	62	47	1	14	0


- Molecule 8 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
8	B	1	28	10	5	11	2	0



• Molecule 3: Tubulin beta chain



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	12629	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.199	Depositor
Minimum map value	-0.050	Depositor
Average map value	0.028	Depositor
Map value standard deviation	0.042	Depositor
Recommended contour level	0.0535	Depositor
Map size (Å)	111.2, 95.909996, 111.2	wwPDB
Map dimensions	80, 69, 80	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.39, 1.39, 1.39	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TA1, GTP, ANP, MG, GDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	K	0.22	0/3079	0.61	2/4151 (0.0%)
2	A	0.22	0/3427	0.50	0/4651
3	B	0.22	0/3427	0.53	0/4642
All	All	0.22	0/9933	0.54	2/13444 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	K	65	GLU	CA-C-N	5.25	128.31	120.90
1	K	65	GLU	C-N-CA	5.25	128.31	120.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	K	3043	0	3040	62	0
2	A	3350	0	3253	67	0
3	B	3352	0	3229	72	0
4	A	1	0	0	0	0
4	K	1	0	0	0	0
5	K	31	0	13	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	32	0	12	1	0
7	B	62	0	51	1	0
8	B	28	0	12	3	0
All	All	9900	0	9610	190	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (190) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:385:GLN:HB2	3:B:429:VAL:HG13	1.78	0.65
1:K:85:ARG:HH22	1:K:426:GLU:HG3	1.64	0.63
1:K:380:LEU:HD21	2:A:405:VAL:HG13	1.81	0.62
3:B:269:MET:HE2	3:B:303:ALA:HB3	1.82	0.62
1:K:228:SER:HB3	1:K:331:PHE:HB3	1.82	0.61
1:K:191:MET:HA	1:K:208:ILE:HG12	1.82	0.61
2:A:63:PRO:O	2:A:91:GLN:NE2	2.34	0.61
2:A:214:ARG:HG3	2:A:215:ARG:HG3	1.81	0.61
3:B:12:CYS:SG	3:B:13:GLY:N	2.74	0.60
2:A:120:ASP:OD2	2:A:124:LYS:NZ	2.34	0.60
1:K:182:GLN:O	1:K:187:LYS:NZ	2.35	0.60
2:A:234:ILE:HD11	2:A:302:MET:HE1	1.84	0.59
2:A:134:GLY:HA3	2:A:165:SER:HB3	1.85	0.59
1:K:85:ARG:O	1:K:425:GLN:NE2	2.36	0.58
2:A:98:ASP:O	3:B:253:ARG:NH2	2.36	0.58
3:B:132:LEU:O	3:B:164:ARG:NH1	2.35	0.58
2:A:142:GLY:O	2:A:186:ASN:ND2	2.37	0.58
1:K:272:MET:HE1	1:K:282:VAL:HA	1.85	0.58
1:K:335:LYS:HA	1:K:341:ASP:HA	1.85	0.58
2:A:229:ARG:HD3	2:A:363:VAL:HG11	1.86	0.58
1:K:310:ILE:HA	1:K:321:ARG:H	1.68	0.57
2:A:219:ILE:HG22	2:A:221:ARG:H	1.68	0.57
3:B:291:LEU:HD11	3:B:373:MET:HB3	1.86	0.57
2:A:2:ARG:N	2:A:131:GLY:O	2.38	0.57
2:A:297:GLU:O	2:A:301:GLN:NE2	2.36	0.57
1:K:127:SER:HB2	2:A:427:ALA:HB1	1.86	0.57
1:K:231:ALA:H	1:K:290:ALA:H	1.53	0.56
2:A:339:ARG:HB2	2:A:341:ILE:HG12	1.88	0.56
3:B:76:ASP:OD1	3:B:79:ARG:NH2	2.39	0.56
2:A:389:ALA:O	2:A:393:HIS:ND1	2.38	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:297:ASP:OD2	3:B:300:ASN:ND2	2.39	0.55
2:A:12:ALA:N	6:A:501:GTP:O1A	2.39	0.55
2:A:244:PHE:O	2:A:249:ASN:ND2	2.39	0.55
1:K:439:TYR:OH	2:A:402:ARG:NH1	2.39	0.55
3:B:196:GLU:OE2	3:B:264:ARG:NH1	2.39	0.55
3:B:53:TYR:O	3:B:64:ARG:NH2	2.40	0.55
1:K:235:GLU:HB2	1:K:242:ARG:HB2	1.89	0.54
3:B:316:ALA:HB3	3:B:378:ILE:HB	1.89	0.54
1:K:238:ASN:ND2	1:K:374:MET:SD	2.80	0.53
1:K:377:GLN:NE2	2:A:406:HIS:O	2.42	0.53
1:K:385:VAL:HG13	1:K:396:ILE:HD11	1.90	0.53
2:A:415:GLU:HA	2:A:418:PHE:HD2	1.74	0.53
2:A:238:ILE:HG22	2:A:239:THR:HG23	1.91	0.52
3:B:251:ASP:H	3:B:254:LYS:HD2	1.73	0.52
1:K:83:ARG:HD2	1:K:157:VAL:HG11	1.92	0.52
2:A:50:ASN:O	2:A:243:ARG:NH2	2.42	0.52
2:A:11:GLN:HE22	3:B:249:ASN:H	1.56	0.52
3:B:209:LEU:HD23	3:B:212:ILE:HD12	1.91	0.52
1:K:184:GLY:HA2	1:K:316:ASN:HD22	1.75	0.52
2:A:2:ARG:O	2:A:243:ARG:NH2	2.43	0.52
3:B:228:ASN:HD21	8:B:502:GDP:HN1	1.57	0.52
2:A:297:GLU:OE1	2:A:300:ASN:ND2	2.43	0.51
2:A:101:ASN:HA	2:A:144:GLY:H	1.74	0.51
3:B:320:ARG:HB3	3:B:359:PRO:HA	1.92	0.51
2:A:119:LEU:HA	2:A:122:ILE:HD12	1.93	0.51
1:K:227:TYR:HA	1:K:332:ILE:HA	1.93	0.51
2:A:13:GLY:HA2	2:A:16:ILE:HD12	1.92	0.51
3:B:26:ASP:O	3:B:369:ARG:NH2	2.43	0.50
3:B:420:GLU:O	3:B:424:ASN:N	2.38	0.50
1:K:230:LYS:HB2	1:K:329:THR:HB	1.93	0.50
1:K:398:TYR:O	1:K:404:THR:OG1	2.30	0.50
2:A:17:GLY:HA2	2:A:20:CYS:HB2	1.92	0.50
2:A:182:VAL:HG22	3:B:258:ASN:HD21	1.77	0.50
3:B:140:SER:H	3:B:146:GLY:HA3	1.77	0.50
3:B:5:VAL:HG22	3:B:64:ARG:HD3	1.94	0.49
3:B:11:GLN:N	8:B:502:GDP:O2B	2.42	0.49
1:K:188:THR:OG1	5:K:501:ANP:O3G	2.29	0.49
2:A:23:LEU:HD21	2:A:363:VAL:HG22	1.95	0.49
2:A:346:TRP:HZ2	2:A:438:ASP:HB2	1.78	0.49
3:B:2:ARG:N	3:B:131:CYS:HG	2.10	0.48
3:B:213:CYS:HA	3:B:217:LEU:HD12	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:144:GLY:N	8:B:502:GDP:O3B	2.45	0.48
1:K:118:GLN:HE21	1:K:138:ARG:HA	1.79	0.48
3:B:166:MET:HB2	3:B:199:ASP:H	1.79	0.48
1:K:345:ILE:HB	1:K:453:ASN:HD22	1.78	0.48
2:A:139:HIS:CE1	2:A:170:SER:HG	2.29	0.48
2:A:213:CYS:HA	2:A:217:LEU:HB2	1.95	0.47
3:B:222:PRO:HB3	3:B:227:LEU:HD21	1.95	0.47
2:A:228:ASN:O	2:A:232:GLY:N	2.43	0.47
3:B:209:LEU:HB3	3:B:227:LEU:HD22	1.95	0.47
2:A:237:SER:OG	2:A:376:CYS:SG	2.64	0.47
2:A:12:ALA:HB1	2:A:171:ILE:HD12	1.96	0.47
2:A:242:LEU:O	2:A:249:ASN:ND2	2.45	0.47
1:K:373:GLY:O	1:K:377:GLN:N	2.42	0.47
2:A:384:ILE:O	2:A:388:TRP:N	2.38	0.47
2:A:7:ILE:HA	2:A:66:VAL:HB	1.97	0.47
2:A:385:ALA:HA	2:A:388:TRP:HD1	1.79	0.47
1:K:218:HIS:O	1:K:222:LEU:N	2.47	0.47
1:K:349:ASN:ND2	1:K:409:GLU:OE2	2.48	0.47
3:B:63:PRO:HG2	3:B:87:PHE:HA	1.96	0.47
3:B:142:GLY:O	3:B:186:ASN:ND2	2.40	0.47
1:K:105:PRO:HB2	1:K:118:GLN:H	1.80	0.47
3:B:317:ALA:O	3:B:354:ALA:N	2.47	0.47
3:B:3:GLU:N	3:B:131:CYS:O	2.47	0.47
3:B:250:ALA:HA	3:B:254:LYS:HD2	1.96	0.46
1:K:176:THR:O	1:K:417:THR:OG1	2.30	0.46
2:A:2:ARG:N	2:A:130:THR:O	2.48	0.46
3:B:382:THR:O	3:B:385:GLN:NE2	2.48	0.46
2:A:99:ALA:O	2:A:102:ASN:ND2	2.48	0.46
3:B:25:SER:HA	3:B:30:ILE:HD12	1.98	0.46
3:B:13:GLY:HA2	3:B:16:ILE:HB	1.98	0.46
2:A:154:MET:HE1	2:A:166:LYS:HB3	1.98	0.46
3:B:10:GLY:O	3:B:14:ASN:ND2	2.49	0.46
1:K:311:ALA:HB2	1:K:321:ARG:HB2	1.97	0.45
1:K:407:LEU:HB3	1:K:411:LEU:HD13	1.97	0.45
2:A:346:TRP:NE1	2:A:438:ASP:O	2.40	0.45
2:A:100:ALA:HB3	3:B:253:ARG:HE	1.82	0.45
1:K:219:THR:HA	1:K:222:LEU:HB3	1.99	0.45
2:A:242:LEU:HD13	2:A:251:ASP:HA	1.98	0.45
1:K:302:ARG:O	1:K:306:GLN:N	2.49	0.45
7:B:501:TA1:O08	7:B:501:TA1:O07	2.25	0.45
2:A:391:LEU:HD12	2:A:394:LYS:HD2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:242:LEU:HD11	3:B:252:LEU:N	2.32	0.45
1:K:210:PRO:HA	1:K:213:LEU:HB2	1.98	0.45
1:K:233:PHE:HE2	1:K:244:LEU:HD12	1.81	0.44
1:K:312:ALA:HA	1:K:317:GLU:HA	2.00	0.44
3:B:251:ASP:HB3	3:B:254:LYS:H	1.83	0.44
1:K:108:GLN:HE22	1:K:147:VAL:HG22	1.82	0.44
3:B:2:ARG:NH2	3:B:130:ASP:OD2	2.39	0.44
1:K:231:ALA:HB3	1:K:290:ALA:HB3	1.99	0.44
1:K:330:VAL:HG23	1:K:346:GLY:H	1.82	0.44
2:A:195:LEU:HD22	2:A:428:LEU:HD22	2.00	0.44
2:A:396:ASP:OD2	2:A:422:ARG:NH2	2.48	0.44
3:B:318:VAL:HA	3:B:354:ALA:HB3	1.99	0.43
3:B:420:GLU:HA	3:B:423:SER:HB3	1.99	0.43
1:K:117:PRO:HB2	1:K:140:LYS:HE3	1.99	0.43
1:K:300:VAL:HG23	1:K:303:ARG:HD2	1.99	0.43
3:B:102:ASN:HD22	3:B:105:LYS:HD3	1.83	0.43
2:A:328:VAL:O	2:A:332:ILE:N	2.40	0.43
3:B:269:MET:HE3	3:B:384:ILE:HG12	1.99	0.43
3:B:2:ARG:HB2	3:B:131:CYS:HB3	2.01	0.43
3:B:28:HIS:HD2	3:B:43:GLN:HA	1.83	0.43
3:B:287:THR:H	3:B:290:GLU:HB3	1.84	0.43
1:K:220:LEU:HD23	1:K:227:TYR:HB2	2.00	0.43
3:B:41:ASP:O	3:B:47:GLU:N	2.47	0.43
1:K:114:ILE:HA	1:K:143:HIS:HA	2.00	0.43
3:B:318:VAL:O	3:B:376:THR:N	2.48	0.43
1:K:82:VAL:HG13	1:K:421:ALA:HB3	1.99	0.43
1:K:103:SER:HB2	1:K:106:ARG:HB2	1.99	0.43
2:A:21:TRP:HA	2:A:24:TYR:HB2	2.01	0.42
3:B:10:GLY:H	3:B:145:THR:HG22	1.84	0.42
3:B:402:LYS:HB3	3:B:405:LEU:HD22	2.01	0.42
2:A:64:ARG:HH12	2:A:128:GLN:HB2	1.84	0.42
2:A:172:TYR:HA	2:A:173:PRO:HD3	1.92	0.42
2:A:8:HIS:HB3	2:A:14:VAL:HA	2.01	0.42
2:A:396:ASP:OD1	2:A:422:ARG:NE	2.53	0.42
3:B:28:HIS:CE1	3:B:243:ARG:HH21	2.37	0.42
1:K:213:LEU:HD13	1:K:298:LEU:HD22	2.02	0.42
1:K:401:SER:O	1:K:404:THR:OG1	2.30	0.42
2:A:9:VAL:HG12	2:A:146:GLY:HA2	2.01	0.42
3:B:321:GLY:HA2	3:B:359:PRO:HD3	2.01	0.42
2:A:2:ARG:HA	2:A:133:GLN:HE21	1.84	0.42
2:A:52:PHE:O	2:A:64:ARG:N	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:79:ARG:HD3	3:B:92:PHE:HE2	1.83	0.41
3:B:312:TYR:HA	3:B:381:SER:HA	2.02	0.41
1:K:316:ASN:HB3	1:K:319:SER:HB3	2.02	0.41
2:A:246:GLY:HA3	2:A:356:ASN:HA	2.02	0.41
3:B:172:VAL:N	3:B:204:ILE:O	2.46	0.41
1:K:389:LEU:HD11	1:K:411:LEU:HB3	2.02	0.41
1:K:174:ASN:HD22	1:K:347:LYS:N	2.18	0.41
2:A:69:ASP:O	2:A:95:GLY:N	2.53	0.41
2:A:255:PHE:HD1	2:A:259:LEU:HB2	1.86	0.41
1:K:206:ALA:O	1:K:211:ARG:NH1	2.53	0.41
3:B:62:VAL:HA	3:B:63:PRO:HD3	1.82	0.41
3:B:174:SER:OG	3:B:205:ASP:OD1	2.29	0.41
3:B:284:ARG:NH1	3:B:290:GLU:OE2	2.53	0.41
1:K:87:GLN:H	1:K:150:PRO:HB3	1.86	0.41
1:K:185:THR:N	5:K:501:ANP:O1B	2.53	0.41
1:K:374:MET:HA	1:K:377:GLN:HB2	2.03	0.41
1:K:384:ARG:HD3	3:B:262:PHE:HE1	1.86	0.41
1:K:395:HIS:O	3:B:434:GLN:NE2	2.54	0.41
1:K:433:THR:O	1:K:436:THR:OG1	2.33	0.41
3:B:194:LEU:O	3:B:198:THR:OG1	2.29	0.41
3:B:320:ARG:HD2	3:B:356:CYS:HB3	2.02	0.41
3:B:172:VAL:HG11	3:B:387:LEU:HD13	2.03	0.41
2:A:73:THR:HA	3:B:48:ARG:HH21	1.86	0.40
2:A:104:ALA:HB1	2:A:411:GLU:HB2	2.02	0.40
3:B:54:ASN:OD1	3:B:64:ARG:NH2	2.48	0.40
3:B:79:ARG:HA	3:B:84:GLY:HA3	2.01	0.40
3:B:311:ARG:NE	3:B:341:SER:O	2.54	0.40
2:A:223:THR:OG1	2:A:225:THR:OG1	2.30	0.40
1:K:106:ARG:HG2	1:K:117:PRO:HG3	2.04	0.40
1:K:114:ILE:HD11	1:K:141:SER:HB3	2.03	0.40
1:K:158:TYR:HA	1:K:162:VAL:HB	2.03	0.40
3:B:6:HIS:CE1	3:B:8:GLN:HE21	2.38	0.40
3:B:382:THR:HG21	3:B:436:GLN:HA	2.03	0.40
2:A:320:ARG:NE	2:A:358:GLU:O	2.51	0.40
1:K:186:GLY:H	5:K:501:ANP:PB	2.44	0.40
1:K:405:ARG:HA	1:K:408:GLN:HG3	2.03	0.40
2:A:181:VAL:HB	3:B:258:ASN:HD22	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	K	395/457 (86%)	362 (92%)	33 (8%)	0	100	100
2	A	424/439 (97%)	397 (94%)	26 (6%)	1 (0%)	44	78
3	B	424/427 (99%)	396 (93%)	28 (7%)	0	100	100
All	All	1243/1323 (94%)	1155 (93%)	87 (7%)	1 (0%)	50	83

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	348	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	K	337/386 (87%)	337 (100%)	0	100	100
2	A	360/368 (98%)	360 (100%)	0	100	100
3	B	367/368 (100%)	367 (100%)	0	100	100
All	All	1064/1122 (95%)	1064 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	K	118	GLN
1	K	130	ASN
1	K	139	GLN
1	K	146	GLN
1	K	268	HIS
1	K	284	GLN
1	K	309	GLN
1	K	349	ASN
2	A	11	GLN
2	A	18	ASN
2	A	91	GLN
2	A	107	HIS
2	A	133	GLN
2	A	186	ASN
2	A	197	HIS
2	A	258	ASN
2	A	293	ASN
2	A	309	HIS
3	B	8	GLN
3	B	14	ASN
3	B	37	HIS
3	B	102	ASN
3	B	193	GLN
3	B	258	ASN
3	B	336	GLN
3	B	350	ASN
3	B	424	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GTP	A	501	4	26,34,34	1.18	2 (7%)	32,54,54	1.61	7 (21%)
7	TA1	B	501	-	68,68,68	0.73	2 (2%)	105,105,105	1.73	19 (18%)
8	GDP	B	502	-	24,30,30	0.98	3 (12%)	30,47,47	0.63	0
5	ANP	K	501	4	29,33,33	1.70	2 (6%)	31,52,52	0.87	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GTP	A	501	4	-	5/18/38/38	0/3/3/3
7	TA1	B	501	-	-	5/41/127/127	0/7/7/7
8	GDP	B	502	-	-	5/12/32/32	0/3/3/3
5	ANP	K	501	4	-	9/14/38/38	0/3/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	K	501	ANP	PG-O1G	7.56	1.58	1.46
6	A	501	GTP	C5-C6	-4.21	1.38	1.47
5	K	501	ANP	PG-O2G	-4.05	1.45	1.56
7	B	501	TA1	C11-C10	4.05	1.63	1.54
8	B	502	GDP	C5-C6	-2.45	1.42	1.47
7	B	501	TA1	C18-C10	2.31	1.62	1.57
6	A	501	GTP	C2-N3	2.21	1.38	1.33
8	B	502	GDP	C8-N7	-2.03	1.31	1.35
8	B	502	GDP	C5-C4	-2.03	1.37	1.43

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	501	TA1	O08-C20-C21	-7.42	109.64	119.30
7	B	501	TA1	C18-C20-C21	6.76	136.87	121.44
7	B	501	TA1	O09-C21-C24	5.74	117.50	109.83
6	A	501	GTP	PB-O3B-PG	-4.19	118.44	132.83
7	B	501	TA1	O11-C26-C25	4.11	119.74	109.78
7	B	501	TA1	C21-O09-C22	3.76	124.96	116.11
7	B	501	TA1	C47-C45-C46	-3.64	95.53	106.26
7	B	501	TA1	O02-C02-C01	-3.53	97.28	104.76
6	A	501	GTP	PA-O3A-PB	-3.43	121.06	132.83
6	A	501	GTP	C5-C6-N1	3.35	119.86	113.95
7	B	501	TA1	C10-C18-C20	3.22	121.85	116.31
7	B	501	TA1	C43-C01-C45	3.03	117.08	111.50
6	A	501	GTP	C8-N7-C5	3.01	108.73	102.99
6	A	501	GTP	C2-N1-C6	-2.97	119.62	125.10
6	A	501	GTP	C3'-C2'-C1'	2.87	105.30	100.98
7	B	501	TA1	O09-C21-C20	-2.80	101.45	108.69
7	B	501	TA1	C01-C43-C26	2.70	120.14	114.98
7	B	501	TA1	C43-C01-C02	-2.68	106.88	111.70
7	B	501	TA1	C19-C18-C20	-2.57	99.55	106.55
7	B	501	TA1	C24-C21-C20	2.48	119.34	113.38
7	B	501	TA1	O08-C20-C18	-2.47	113.49	119.18
7	B	501	TA1	C47-C45-C24	2.44	122.74	112.83
7	B	501	TA1	C11-O04-C12	2.42	125.31	119.06
7	B	501	TA1	O02-C02-C10	2.35	112.52	108.17
7	B	501	TA1	C14-C11-C15	-2.29	82.97	85.40
5	K	501	ANP	C5-C6-N6	2.26	123.78	120.35
6	A	501	GTP	O6-C6-C5	-2.12	120.23	124.37

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	K	501	ANP	PG-N3B-PB-O1B
5	K	501	ANP	PA-O3A-PB-O2B
5	K	501	ANP	C5'-O5'-PA-O1A
7	B	501	TA1	C20-C21-O09-C22
7	B	501	TA1	C24-C21-O09-C22
8	B	502	GDP	C5'-O5'-PA-O1A
8	B	502	GDP	C5'-O5'-PA-O2A
6	A	501	GTP	O4'-C4'-C5'-O5'
6	A	501	GTP	C3'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	K	501	ANP	C5'-O5'-PA-O3A
8	B	502	GDP	C5'-O5'-PA-O3A
5	K	501	ANP	C5'-O5'-PA-O2A
6	A	501	GTP	C5'-O5'-PA-O1A
7	B	501	TA1	N01-C29-C37-C42
5	K	501	ANP	C3'-C4'-C5'-O5'
7	B	501	TA1	N01-C29-C37-C38
5	K	501	ANP	PB-O3A-PA-O2A
6	A	501	GTP	PB-O3A-PA-O2A
8	B	502	GDP	C4'-C5'-O5'-PA
5	K	501	ANP	O4'-C4'-C5'-O5'
6	A	501	GTP	C5'-O5'-PA-O3A
8	B	502	GDP	PB-O3A-PA-O2A
5	K	501	ANP	C4'-C5'-O5'-PA
7	B	501	TA1	O14-C30-C31-C32


There are no ring outliers.


4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	501	GTP	1	0
7	B	501	TA1	1	0
8	B	502	GDP	3	0
5	K	501	ANP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-3530. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 40



Y Index: 34



Z Index: 40


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 33



Y Index: 6




Z Index: 21


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0535. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate [i](#)



The volume at the recommended contour level is 315 nm³; this corresponds to an approximate mass of 284 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-3530 and PDB model 5MM7. Per-residue inclusion information can be found in [section 3](#) on [page 6](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0535 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0535).

9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0535) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.8280	<div></div> 0.2070
A	<div></div> 0.9160	<div></div> 0.2300
B	<div></div> 0.9140	<div></div> 0.2390
K	<div></div> 0.6340	<div></div> 0.1470

