Full wwPDB X-ray Structure Validation Report ⓘ

Oct 26, 2026 – 12:47 pm GMT

PDB ID	:	9SZ1 / pdb_00009sz1
Title	:	Crystal structure of the human METTL3-METTL14 in complex with COD_122
Authors	:	Bedi, R.K.; Caflisch, A.
Deposited on	:	2025-10-14
Resolution	:	2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.2
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	228	2% 61% 28% • 10%
2	B	307	4% 62% 18% 20%

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 3554 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called N6-adenosine-methyltransferase catalytic subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	205	Total	C	N	O	S	0	0	0
			1598	1026	279	284	9			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	353	MET	-	initiating methionine	UNP Q86U44

- Molecule 2 is a protein called N(6)-adenosine-methyltransferase non-catalytic subunit METTL14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	245	Total	C	N	O	S	0	1	0
			1870	1201	315	341	13			

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	89	MET	-	initiating methionine	UNP Q9HCE5
B	90	HIS	-	expression tag	UNP Q9HCE5
B	91	HIS	-	expression tag	UNP Q9HCE5
B	92	HIS	-	expression tag	UNP Q9HCE5
B	93	HIS	-	expression tag	UNP Q9HCE5
B	94	HIS	-	expression tag	UNP Q9HCE5
B	95	HIS	-	expression tag	UNP Q9HCE5
B	96	SER	-	expression tag	UNP Q9HCE5
B	97	SER	-	expression tag	UNP Q9HCE5
B	98	GLY	-	expression tag	UNP Q9HCE5
B	99	ARG	-	expression tag	UNP Q9HCE5
B	100	GLU	-	expression tag	UNP Q9HCE5
B	101	ASN	-	expression tag	UNP Q9HCE5
B	102	LEU	-	expression tag	UNP Q9HCE5

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	103	TYR	-	expression tag	UNP Q9HCE5
B	104	PHE	-	expression tag	UNP Q9HCE5
B	105	GLN	-	expression tag	UNP Q9HCE5
B	106	GLY	-	expression tag	UNP Q9HCE5

- Molecule 3 is 4-[4-[[(4 {a} {S},7 {a} {R})-1-methyl-3,4 {a},5,6,7,7 {a}-hexahydro-2 {H}-cyclopenta[b]pyrazin-4-yl]methyl]-2,5-bis(fluoranyl)phenyl]-9-[6-(methylamino)pyrimidin-4-yl]-1,4,9-triazaspiro[5.5]undecan-2-one (CCD ID: A1JR8) (formula: $C_{28}H_{38}F_2N_8O$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	F	N	O		
3	A	1	39	28	2	8	1	0	0

- Molecule 4 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O 4 2 2	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	14	Total O 14 14	0	0
5	B	29	Total O 29 29	0	0


3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: N6-adenosine-methyltransferase catalytic subunit

Chain A:






• Molecule 2: N(6)-adenosine-methyltransferase non-catalytic subunit METTL14

Chain B:





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α, β, γ	64.14Å 64.14Å 225.48Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.82 – 2.65 49.82 – 2.65	Depositor EDS
% Data completeness (in resolution range)	94.9 (49.82-2.65) 94.9 (49.82-2.65)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	3.03 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.236 , 0.293 0.235 , 0.291	Depositor DCC
R_{free} test set	757 reflections (4.62%)	wwPDB-VP
Wilson B-factor (Å^2)	54.0	Xtriage
Anisotropy	0.133	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 51.4	EDS
L-test for twinning[2]	$< \|L\| > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	0.058 for -h,-k,l	Xtriage
F_o,F_c correlation	0.92	EDS
Total number of atoms	3554	wwPDB-VP
Average B, all atoms (Å^2)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.07% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, A1JR8

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.48	0/1641	0.68	0/2239
2	B	0.49	0/1921	0.65	0/2618
All	All	0.49	0/3562	0.67	0/4857

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1598	0	1511	44	0
2	B	1870	0	1713	46	1
3	A	39	0	0	0	0
4	B	4	0	3	0	0
5	A	14	0	0	0	0
5	B	29	0	0	4	0
All	All	3554	0	3227	80	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:168:MET:HE3	2:B:369:TYR:HA	1.65	0.79
2:B:168:MET:HE1	2:B:374:TYR:HB2	1.69	0.73
1:A:372:GLN:HG2	1:A:557:LEU:HD12	1.70	0.72
1:A:391:VAL:HB	1:A:530:LYS:HG2	1.72	0.70
2:B:263:LYS:NZ	5:B:503:HOH:O	2.24	0.67
2:B:382:ASN:O	5:B:501:HOH:O	2.15	0.65
1:A:382:ASP:OD1	1:A:384:SER:OG	2.16	0.64
1:A:378:ILE:HD12	1:A:378:ILE:H	1.61	0.64
2:B:228:ARG:HA	2:B:293:LYS:O	1.99	0.62
1:A:393:MET:HG3	1:A:429:PHE:HB2	1.82	0.61
1:A:459:LYS:HE2	1:A:481:GLU:OE2	2.00	0.61
2:B:214:ASP:O	2:B:218:LYS:HG3	2.00	0.61
1:A:509:SER:OG	1:A:512:HIS:HD2	1.83	0.60
2:B:341:ARG:HD2	2:B:385:LEU:HB2	1.83	0.60
1:A:373:TRP:HB2	1:A:551:LEU:HD13	1.83	0.59
2:B:385:LEU:HD22	2:B:385:LEU:H	1.68	0.58
1:A:480:LYS:HE2	2:B:260[A]:CYS:SG	2.46	0.56
2:B:128:HIS:ND1	2:B:269:PRO:HB3	2.21	0.55
1:A:374:ILE:HB	1:A:547:LEU:HD23	1.88	0.54
1:A:456:ILE:HD13	2:B:260[B]:CYS:SG	2.48	0.54
2:B:170:LEU:HD13	2:B:369:TYR:HB3	1.89	0.54
2:B:128:HIS:HE1	2:B:269:PRO:HG3	1.72	0.53
2:B:337:PHE:HB3	2:B:339:LEU:HD21	1.92	0.52
2:B:382:ASN:HA	2:B:385:LEU:HD21	1.91	0.52
2:B:341:ARG:CD	2:B:385:LEU:HB2	2.39	0.52
1:A:400:ILE:HG12	1:A:404:LEU:HD11	1.91	0.52
2:B:359:THR:HG22	2:B:364:LEU:HD11	1.92	0.52
1:A:377:ASP:OD1	1:A:379:ARG:HB2	2.10	0.52
1:A:410:THR:HG23	1:A:413:GLU:OE1	2.11	0.51
1:A:516:GLU:O	1:A:520:MET:HG3	2.11	0.50
1:A:500:CYS:SG	2:B:130:PRO:HD2	2.51	0.49
1:A:423:GLN:O	1:A:488:LYS:NZ	2.40	0.49
1:A:509:SER:OG	1:A:512:HIS:CD2	2.65	0.49
2:B:329:GLU:OE1	2:B:329:GLU:N	2.41	0.49
1:A:375:CYS:HA	1:A:548:GLY:O	2.13	0.48
1:A:442:GLU:O	1:A:446:LEU:HG	2.12	0.48
2:B:169:TYR:HB2	2:B:364:LEU:CD1	2.43	0.48
1:A:431:TRP:CE3	1:A:483:CYS:HB2	2.49	0.48
1:A:507:VAL:O	1:A:507:VAL:HG13	2.13	0.48
2:B:327:PRO:O	2:B:330:ILE:HG22	2.14	0.48
1:A:453:ASP:OD1	2:B:283:ARG:NE	2.41	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:452:VAL:O	2:B:283:ARG:NH2	2.47	0.47
2:B:128:HIS:CE1	2:B:269:PRO:HB3	2.49	0.47
2:B:168:MET:HA	2:B:368:ASN:HD21	1.79	0.47
1:A:537:PRO:HD3	1:A:551:LEU:HD23	1.97	0.47
1:A:480:LYS:NZ	2:B:258:ASP:O	2.40	0.47
2:B:222:ASP:OD1	2:B:222:ASP:N	2.48	0.46
2:B:123:PHE:HB2	2:B:130:PRO:HD3	1.96	0.46
2:B:157:ASP:HA	2:B:160:ILE:HD12	1.98	0.46
2:B:184:PRO:HG2	2:B:342:ARG:HD2	1.97	0.46
1:A:512:HIS:CE1	1:A:538:HIS:CE1	3.04	0.46
1:A:436:ALA:HA	1:A:439:LEU:HB3	1.97	0.46
2:B:192:GLU:OE1	5:B:502:HOH:O	2.21	0.46
2:B:311:ILE:HG13	2:B:312:ASP:H	1.80	0.46
1:A:434:GLY:O	2:B:255:ARG:NH2	2.49	0.45
1:A:537:PRO:O	1:A:540:VAL:HG13	2.16	0.45
1:A:397:PRO:HB2	1:A:408:THR:HA	1.98	0.45
1:A:539:ASN:O	1:A:541:GLN:HG2	2.17	0.44
1:A:440:GLY:O	1:A:444:LEU:HB2	2.18	0.44
1:A:396:PRO:HG2	1:A:398:TRP:CZ2	2.52	0.44
1:A:517:ILE:O	1:A:521:ILE:HG13	2.18	0.44
2:B:186:PHE:CE1	2:B:344:LEU:HB2	2.53	0.44
1:A:431:TRP:CZ3	1:A:483:CYS:HB2	2.53	0.43
1:A:451:ARG:NH2	2:B:242:ASP:OD2	2.45	0.43
1:A:511:SER:OG	1:A:536:ARG:NH2	2.38	0.43
2:B:168:MET:CE	2:B:369:TYR:HD1	2.30	0.43
2:B:168:MET:CE	2:B:369:TYR:CD1	3.01	0.43
1:A:450:GLU:O	1:A:486:GLY:HA2	2.19	0.43
2:B:168:MET:CE	2:B:374:TYR:HB2	2.45	0.42
2:B:173:ASP:O	2:B:176:ALA:N	2.46	0.42
2:B:189:ILE:HG12	2:B:344:LEU:HD23	2.02	0.42
2:B:221:ILE:HD13	2:B:221:ILE:HA	1.93	0.42
1:A:452:VAL:HG12	2:B:278:LYS:HB3	2.01	0.42
2:B:392:ILE:HA	5:B:514:HOH:O	2.20	0.41
1:A:419:ILE:N	1:A:420:PRO:CD	2.83	0.41
1:A:504:VAL:HG23	2:B:130:PRO:HB2	2.03	0.41
1:A:560:ASP:O	1:A:564:ARG:HG3	2.21	0.41
2:B:191:LEU:HD12	2:B:231:ILE:HD11	2.02	0.41
2:B:169:TYR:HA	2:B:359:THR:O	2.21	0.41
1:A:419:ILE:HA	1:A:419:ILE:HD13	1.90	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:250:LYS:NZ	2:B:353:ILE:O[4_545]	2.18	0.02

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	201/228 (88%)	188 (94%)	12 (6%)	1 (0%)	24 39
2	B	238/307 (78%)	227 (95%)	9 (4%)	2 (1%)	16 27
All	All	439/535 (82%)	415 (94%)	21 (5%)	3 (1%)	18 30

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	467	ILE
2	B	308	ASN
2	B	200	ARG

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	164/200 (82%)	162 (99%)	2 (1%)	63 79
2	B	185/274 (68%)	181 (98%)	4 (2%)	45 67
All	All	349/474 (74%)	343 (98%)	6 (2%)	53 73

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	408	THR
1	A	410	THR
2	B	134	ILE
2	B	179	ILE
2	B	191	LEU
2	B	256	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	372	GLN
1	A	512	HIS
1	A	539	ASN
2	B	122	HIS
2	B	128	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
3	A1JR8	A	601	1	43,44,44	2.74	19 (44%)	53,65,65	3.17	28 (52%)
4	ACT	B	401	-	3,3,3	1.92	1 (33%)	3,3,3	1.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A1JR8	A	601	1	-	4/14/63/63	0/6/6/6

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	601	A1JR8	C19-C18	8.24	1.65	1.51
3	A	601	A1JR8	C05-N06	6.20	1.50	1.37
3	A	601	A1JR8	C35-N34	5.11	1.41	1.34
3	A	601	A1JR8	C01-N02	4.82	1.53	1.45
3	A	601	A1JR8	C03-N02	4.68	1.46	1.36
3	A	601	A1JR8	C30-C32	4.47	1.45	1.37
3	A	601	A1JR8	C19-N20	4.20	1.54	1.47
3	A	601	A1JR8	C03-N39	3.44	1.40	1.34
3	A	601	A1JR8	C18-C17	3.25	1.43	1.38
4	B	401	ACT	CH3-C	2.94	1.61	1.49
3	A	601	A1JR8	C14-C35	2.91	1.54	1.51
3	A	601	A1JR8	C16-C17	2.90	1.42	1.37
3	A	601	A1JR8	C04-C03	2.64	1.46	1.39
3	A	601	A1JR8	C15-C32	2.51	1.45	1.40
3	A	601	A1JR8	C04-C05	2.32	1.43	1.39
3	A	601	A1JR8	C07-N06	2.29	1.50	1.46
3	A	601	A1JR8	C30-C18	2.18	1.43	1.39
3	A	601	A1JR8	C12-N13	2.18	1.48	1.46
3	A	601	A1JR8	C38-N37	2.10	1.37	1.33
3	A	601	A1JR8	O36-C35	-2.02	1.19	1.23

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	A	601	A1JR8	C27-N26-C25	-9.87	103.02	112.48
3	A	601	A1JR8	C01-N02-C03	9.26	130.92	122.97
3	A	601	A1JR8	C08-C11-C12	6.53	122.94	110.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	A	601	A1JR8	C04-C03-N39	-5.40	115.22	122.75
3	A	601	A1JR8	C30-C18-C17	-5.14	110.60	116.58
3	A	601	A1JR8	C14-N13-C12	-4.95	104.75	112.61
3	A	601	A1JR8	C29-C28-N26	-4.65	105.50	110.81
3	A	601	A1JR8	C09-N06-C07	-4.34	101.94	111.52
3	A	601	A1JR8	C32-C15-N13	3.97	125.19	120.47
3	A	601	A1JR8	C16-C15-C32	-3.78	112.79	116.48
3	A	601	A1JR8	N37-C05-N06	3.71	122.35	116.79
3	A	601	A1JR8	C18-C30-C32	3.62	124.29	119.91
3	A	601	A1JR8	C38-N37-C05	3.38	117.89	114.94
3	A	601	A1JR8	C19-N20-C29	-3.33	104.62	110.77
3	A	601	A1JR8	C29-N20-C21	-2.89	104.91	110.58
3	A	601	A1JR8	C14-N13-C15	2.80	122.22	117.38
3	A	601	A1JR8	C19-C18-C30	2.76	125.30	120.38
3	A	601	A1JR8	C04-C05-N06	-2.60	119.20	122.29
3	A	601	A1JR8	C04-C05-N37	-2.48	118.44	122.73
3	A	601	A1JR8	C14-C35-N34	-2.45	115.44	118.06
3	A	601	A1JR8	C18-C19-N20	2.45	116.50	112.35
3	A	601	A1JR8	O36-C35-C14	2.39	125.69	119.92
3	A	601	A1JR8	C15-C16-C17	2.19	124.01	118.69
3	A	601	A1JR8	C08-C07-N06	2.08	114.03	110.34
3	A	601	A1JR8	C10-C11-C12	-2.06	106.75	110.62
3	A	601	A1JR8	N02-C03-N39	2.04	120.46	116.82
3	A	601	A1JR8	F33-C32-C15	2.02	120.25	118.42
3	A	601	A1JR8	O36-C35-N34	-2.01	118.87	121.54

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	601	A1JR8	C18-C19-N20-C21
3	A	601	A1JR8	N37-C05-N06-C09
3	A	601	A1JR8	C04-C05-N06-C09
3	A	601	A1JR8	N39-C03-N02-C01

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	205/228 (89%)	0.31	5 (2%)	59	53	32, 51, 81, 93	0
2	B	245/307 (79%)	0.28	11 (4%)	38	31	31, 46, 85, 108	1 (0%)
All	All	450/535 (84%)	0.30	16 (3%)	46	38	31, 48, 84, 108	1 (0%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	311	ILE	2.9
2	B	309	VAL	2.9
2	B	310	ASP	2.8
1	A	574	ILE	2.8
1	A	509	SER	2.7
1	A	426	GLY	2.7
2	B	392	ILE	2.6
1	A	474	HIS	2.4
2	B	117	ASN	2.4
2	B	307	ALA	2.2
2	B	152	LEU	2.2
2	B	201	GLU	2.1
1	A	468	ARG	2.1
2	B	272	THR	2.1
2	B	295	THR	2.1
2	B	256	CYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	A1JR8	A	601	39/39	0.88	0.12	48,60,66,71	0
4	ACT	B	401	4/4	0.94	0.10	41,45,48,48	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A1JR8 A 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







6.5 Other polymers (i)

There are no such residues in this entry.