



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 3, 2026 – 07:07 pm BST

PDB ID : 9T0X / pdb_00009t0x
Title : Crystal structure of H416C NikA mutant from Escherichia coli covalently bound to a modified Mn(salen) complex
Authors : Cavazza, C.; Menage, S.
Deposited on : 2025-10-20
Resolution : 1.81 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1112 (1.82-1.82)
Clashscore	190562	1148 (1.82-1.82)
Ramachandran outliers	187476	1140 (1.82-1.82)
Sidechain outliers	187428	1140 (1.82-1.82)
RSRZ outliers	180081	1112 (1.82-1.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	502	<div> <div>3%</div> <div>83%</div> <div>15%</div> <div>..</div> </div>
1	B	502	<div> <div>4%</div> <div>76%</div> <div>21%</div> <div>..</div> </div>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 8424 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Nickel-binding periplasmic protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	499	Total	C	N	O	S	0	20	0
			4050	2599	679	758	14			
1	B	497	Total	C	N	O	S	0	21	0
			4037	2591	676	756	14			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	416	CYS	HIS	engineered mutation	UNP P33590
B	416	CYS	HIS	engineered mutation	UNP P33590

- Molecule 2 is 1-methylpyrrolidine-2,5-dione (CCD ID: LCY) (formula: C₅H₇NO₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			8	5	1	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			8	5	1	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	179	Total	O	0	0
			179	179		
3	B	142	Total	O	0	0
			142	142		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Nickel-binding periplasmic protein



• Molecule 1: Nickel-binding periplasmic protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	85.80Å 93.23Å 123.49Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.61 – 1.81 46.61 – 1.81	Depositor EDS
% Data completeness (in resolution range)	94.4 (46.61-1.81) 94.5 (46.61-1.81)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.27 (at 1.81Å)	Xtriage
Refinement program	REFMAC 5.8.0430	Depositor
R, R_{free}	0.217 , 0.276 0.226 , 0.279	Depositor DCC
R_{free} test set	1082 reflections (1.26%)	wwPDB-VP
Wilson B-factor (Å ²)	37.5	Xtriage
Anisotropy	0.240	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 37.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8424	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LCY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	0/4233	1.15	5/5758 (0.1%)
1	B	0.62	0/4224	1.09	2/5747 (0.0%)
All	All	0.65	0/8457	1.12	7/11505 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	3
All	All	0	7

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	456	THR	CA-CB-OG1	-6.24	100.25	109.60
1	B	64	THR	CA-CB-OG1	-5.74	100.99	109.60
1	A	200	PRO	CB-CA-C	-5.70	104.01	112.55
1	A	445	THR	CA-CB-OG1	-5.57	101.25	109.60
1	B	210	GLU	CB-CA-C	-5.40	101.50	110.68
1	A	496	GLN	CB-CA-C	-5.12	101.54	110.09
1	A	38	VAL	N-CA-CB	-5.01	103.23	111.45

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	137	ARG	Sidechain
1	A	205	ARG	Sidechain
1	A	396	ARG	Sidechain
1	A	95	ARG	Sidechain
1	B	389	ARG	Sidechain
1	B	396	ARG	Sidechain
1	B	89	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4050	0	4006	61	0
1	B	4037	0	3989	77	0
2	A	8	0	5	0	0
2	B	8	0	5	1	0
3	A	179	0	0	4	2
3	B	142	0	0	10	2
All	All	8424	0	8005	132	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:288[B]:GLN:OE1	1:B:288[B]:GLN:NE2	1.89	1.04
1:A:127:TYR:CZ	1:A:447[A]:ARG:NH1	2.27	1.03
1:B:95:ARG:NH1	3:B:701:HOH:O	1.91	0.99
1:A:127:TYR:CE1	1:A:447[A]:ARG:NH1	2.35	0.93
1:A:127:TYR:CD1	1:A:447[A]:ARG:NH2	2.41	0.87
1:B:52:LYS:HA	1:B:52:LYS:HE2	1.57	0.86
1:A:220:ASN:OD1	3:A:701:HOH:O	2.07	0.72
1:B:52:LYS:HG2	1:B:68:ARG:HG2	1.74	0.70
1:B:314:LYS:NZ	3:B:705:HOH:O	2.25	0.69
1:B:89:ARG:NH2	1:B:150:HIS:O	2.26	0.69
1:A:172:LEU:HD13	1:A:173:ASN:HB2	1.74	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:460:ASP:O	3:B:702:HOH:O	2.12	0.68
1:A:86[B]:GLU:OE2	3:A:702:HOH:O	2.11	0.67
1:B:231[B]:ARG:NH1	3:B:707:HOH:O	2.26	0.67
1:B:109:ASP:HB3	1:B:121:THR:OG1	1.94	0.66
1:B:115:LYS:HE3	1:B:116:THR:HG23	1.77	0.66
1:A:389:ARG:HH11	1:A:389:ARG:HG3	1.60	0.64
1:B:327:PRO:HD2	1:B:330:LYS:HG3	1.80	0.63
1:A:22:TYR:OH	1:A:98:HIS:HD2	1.82	0.62
1:A:127:TYR:CD1	1:A:447[A]:ARG:CZ	2.83	0.61
1:B:217:LEU:HB2	1:B:475:VAL:HG22	1.82	0.61
1:B:38[A]:VAL:HG12	1:B:46:VAL:HB	1.82	0.61
1:A:496:GLN:NE2	1:B:43:ASP:OD2	2.26	0.60
1:B:38[B]:VAL:HG22	1:B:46:VAL:HB	1.83	0.60
1:A:127:TYR:CE1	1:A:447[A]:ARG:CZ	2.84	0.60
1:A:336:ASN:N	3:A:703:HOH:O	2.37	0.57
1:B:277:SER:OG	3:B:703:HOH:O	2.18	0.56
1:B:82[B]:GLU:OE2	1:B:86[B]:GLU:OE2	2.23	0.55
1:B:320:GLU:OE1	1:B:325:THR:HG22	2.06	0.55
1:A:278:LEU:HD23	1:A:278:LEU:C	2.31	0.54
1:B:3:PRO:O	1:B:499:PRO:HG2	2.08	0.54
1:A:172:LEU:HD13	1:A:173:ASN:N	2.22	0.54
1:B:317:ALA:O	1:B:321:LYS:CD	2.56	0.54
1:A:34:TYR:HB3	1:A:140:ARG:HB3	1.90	0.53
1:B:434:GLU:OE1	1:B:453:ASP:OD2	2.25	0.53
1:A:330:LYS:HD3	1:A:331:ASP:N	2.24	0.53
1:A:172:LEU:CD1	1:A:173:ASN:HB2	2.37	0.53
1:B:52:LYS:HA	1:B:52:LYS:CE	2.25	0.53
1:A:484:PRO:HG2	1:A:496:GLN:HB2	1.91	0.52
1:B:123:LYS:NZ	3:B:706:HOH:O	2.26	0.52
1:A:201:ASP:OD2	1:A:203:THR:HB	2.08	0.52
1:A:172:LEU:HD13	1:A:172:LEU:C	2.34	0.52
1:A:229:PHE:CG	1:A:473:MET:HE3	2.45	0.52
1:B:356:MET:HE2	1:B:394:PHE:HE1	1.74	0.52
1:A:242:LEU:O	1:B:297:SER:HA	2.09	0.52
1:A:36:PRO:HD2	1:A:49:TRP:CD1	2.45	0.52
1:B:414:PRO:HA	1:B:419:PHE:CD1	2.45	0.51
1:A:428:LYS:HB3	1:A:429:PRO:HD3	1.92	0.51
1:B:296:PRO:HB3	1:B:302:ASN:OD1	2.11	0.51
1:A:136:PRO:O	1:A:140:ARG:HG3	2.11	0.50
1:B:129:PHE:CZ	1:B:133:LEU:HD11	2.46	0.50
1:A:265:VAL:O	1:A:269:LEU:HG	2.10	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:404:PRO:O	1:B:408:LEU:HG	2.12	0.50
1:B:385:GLN:HB3	1:B:417:ALA:HB2	1.94	0.50
1:B:428:LYS:N	1:B:429:PRO:CD	2.75	0.50
1:B:317:ALA:O	1:B:321:LYS:HD3	2.12	0.49
1:A:330:LYS:HD3	1:A:331:ASP:H	1.76	0.49
1:B:129:PHE:CE1	1:B:133:LEU:HD11	2.47	0.49
1:B:52:LYS:HE3	1:B:68:ARG:HH11	1.76	0.49
1:B:106:GLN:OE1	1:B:124:SER:N	2.46	0.49
1:B:427:ASP:OD1	1:B:461:GLU:OE1	2.30	0.49
1:B:40:TYR:CE1	1:B:401:PRO:HB3	2.48	0.48
1:A:250[B]:MET:HE1	1:A:397:THR:HG23	1.96	0.48
1:A:306:LYS:HA	3:A:731:HOH:O	2.14	0.48
1:B:89:ARG:HD3	3:B:759:HOH:O	2.13	0.48
1:B:180:ARG:HH22	1:B:192[A]:LYS:HE3	1.79	0.47
1:B:446:GLN:HE21	1:B:450:LEU:HD11	1.79	0.47
1:A:174:GLN:HB3	1:A:175:TYR:HD1	1.79	0.47
1:B:97:ARG:NH1	2:B:601:LCY:O2	2.46	0.47
1:B:210:GLU:HG3	1:B:232:PHE:CZ	2.49	0.47
1:A:227:ASP:HB3	1:A:284:TYR:CZ	2.50	0.46
1:B:210:GLU:OE2	3:B:704:HOH:O	2.21	0.46
1:A:350:ASP:OD1	1:A:350:ASP:C	2.59	0.46
1:B:149:ASN:ND2	3:B:722:HOH:O	2.48	0.45
1:B:356:MET:CE	1:B:467:ILE:HD13	2.46	0.45
1:B:350:ASP:OD1	1:B:350:ASP:C	2.60	0.44
1:B:317:ALA:O	1:B:321:LYS:HD2	2.16	0.44
1:A:127:TYR:CE1	1:A:447[A]:ARG:NH2	2.82	0.44
1:B:253:LEU:HD12	1:B:392:MET:HG2	1.99	0.44
1:A:435:ILE:O	1:A:438:VAL:HG12	2.18	0.44
1:B:251:LEU:HA	1:B:393:ILE:O	2.18	0.44
1:B:255:THR:O	1:B:424:GLY:HA3	2.18	0.44
1:B:403:ASP:HA	1:B:404:PRO:HA	1.66	0.44
1:A:144:PRO:HA	1:A:147:PHE:CD1	2.53	0.44
1:A:245:PRO:HB3	1:A:469:TYR:HB3	1.99	0.44
1:B:226:LEU:HD12	1:B:283:LEU:HA	1.99	0.43
1:A:319:LEU:HD11	1:A:367:ILE:HD12	1.99	0.43
1:B:444:GLU:OE2	1:B:447[A]:ARG:NH1	2.51	0.43
1:A:472[B]:MET:HB2	1:A:472[B]:MET:HE2	1.78	0.43
1:B:269:LEU:HD22	1:B:364[A]:MET:SD	2.58	0.43
1:A:403:ASP:HA	1:A:404:PRO:HA	1.81	0.43
1:B:7[B]:THR:HG22	1:B:214[B]:ILE:HG22	2.00	0.43
1:A:43:ASP:OD1	1:A:45:SER:OG	2.17	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:272:ALA:HB2	1:B:367:ILE:HD13	1.99	0.43
1:B:269:LEU:HD11	1:B:342:ILE:HD13	2.01	0.43
1:B:128:PRO:O	1:B:129:PHE:C	2.62	0.43
1:A:174:GLN:HB3	1:A:175:TYR:CD1	2.54	0.43
1:A:298:VAL:HG13	1:A:299:PRO:HD2	2.00	0.42
1:A:414:PRO:HA	1:A:419:PHE:CD1	2.53	0.42
1:B:210:GLU:HG3	1:B:232:PHE:HZ	1.83	0.42
1:B:278:LEU:HD21	1:B:356:MET:HG2	2.02	0.42
1:A:43:ASP:HB2	1:B:485:TYR:O	2.19	0.42
1:A:127:TYR:CE2	1:A:447[A]:ARG:NH1	2.85	0.42
1:B:19:PRO:HG3	1:B:142:ILE:HB	2.01	0.42
1:A:430:LEU:O	1:A:434:GLU:HG3	2.20	0.42
1:B:136:PRO:HD2	1:B:402:TYR:OH	2.20	0.42
1:B:321:LYS:HD2	1:B:321:LYS:N	2.35	0.42
1:B:331:ASP:O	1:B:368:GLY:HA2	2.20	0.42
1:A:92:LEU:O	1:A:95:ARG:HB2	2.19	0.42
1:B:180:ARG:HD2	1:B:188:LYS:HG3	2.02	0.41
1:B:22:TYR:OH	1:B:98:HIS:HD2	2.03	0.41
1:B:250[B]:MET:HE1	1:B:293:LEU:HD12	2.03	0.41
1:B:472[B]:MET:HE1	1:B:489:ALA:O	2.20	0.41
1:A:389:ARG:HH11	1:A:389:ARG:CG	2.30	0.41
1:B:495:GLU:CD	1:B:495:GLU:H	2.29	0.41
1:A:226:LEU:HD23	1:A:473:MET:HE1	2.03	0.41
1:B:385:GLN:NE2	3:B:734:HOH:O	2.52	0.41
1:A:297:SER:HA	1:B:242:LEU:O	2.21	0.41
1:A:229:PHE:CD1	1:A:473:MET:HE3	2.56	0.40
1:A:250[B]:MET:CE	1:A:397:THR:HG23	2.52	0.40
1:A:100:TRP:HA	1:A:413:VAL:HG21	2.03	0.40
1:A:246:ILE:HD13	1:A:472[A]:MET:HG2	2.03	0.40
1:A:244:GLN:HE21	1:B:244:GLN:HB3	1.86	0.40
1:B:132:GLU:OE2	1:B:405:HIS:NE2	2.51	0.40
1:B:319:LEU:HD11	1:B:367:ILE:HD12	2.03	0.40
1:A:231[B]:ARG:HH11	1:A:231[B]:ARG:HD3	1.76	0.40
1:A:428:LYS:NZ	1:A:432:ASP:OD1	2.52	0.40
1:B:41:GLN:HG3	1:B:47:ILE:HG23	2.03	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:877:HOH:O	3:B:835:HOH:O[2_454]	2.16	0.04

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:879:HOH:O	3:B:841:HOH:O[1_655]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	517/502 (103%)	502 (97%)	15 (3%)	0	100	100
1	B	516/502 (103%)	501 (97%)	15 (3%)	0	100	100
All	All	1033/1004 (103%)	1003 (97%)	30 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	444/425 (104%)	432 (97%)	12 (3%)	39	22
1	B	443/425 (104%)	429 (97%)	14 (3%)	34	16
All	All	887/850 (104%)	861 (97%)	26 (3%)	38	19

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	VAL
1	A	62	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	109	ASP
1	A	115	LYS
1	A	131[A]	GLN
1	A	131[B]	GLN
1	A	244	GLN
1	A	330	LYS
1	A	386	ARG
1	A	393	ILE
1	A	396	ARG
1	A	442	HIS
1	B	23	THR
1	B	52	LYS
1	B	96	GLN
1	B	127	TYR
1	B	188	LYS
1	B	253	LEU
1	B	287	GLN
1	B	288[A]	GLN
1	B	288[B]	GLN
1	B	306	LYS
1	B	330	LYS
1	B	396	ARG
1	B	473	MET
1	B	493	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	41	GLN
1	A	98	HIS
1	A	174	GLN
1	A	423	GLN
1	B	98	HIS
1	B	150	HIS
1	B	281	ASN
1	B	313	GLN
1	B	423	GLN
1	B	446	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	LCY	A	601	1	8,8,8	0.70	0	11,11,11	1.30	2 (18%)
2	LCY	B	601	1	8,8,8	0.21	0	11,11,11	1.41	2 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LCY	A	601	1	-	-	0/1/1/1
2	LCY	B	601	1	-	-	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	LCY	C4-N1-C3	-3.65	110.63	113.05
2	A	601	LCY	O1-C4-N1	3.16	126.30	123.96
2	A	601	LCY	O2-C3-N1	2.32	125.68	123.96
2	B	601	LCY	O1-C4-N1	2.15	125.55	123.96

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	LCY	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand LCY A 601





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	499/502 (99%)	0.42	17 (3%)	48	55	23, 41, 65, 119	20 (4%)
1	B	497/502 (99%)	0.64	20 (4%)	42	48	23, 48, 78, 117	21 (4%)
All	All	996/1004 (99%)	0.53	37 (3%)	45	51	23, 44, 72, 119	41 (4%)

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	127	TYR	4.8
1	B	3	PRO	4.7
1	A	78	PRO	4.4
1	A	500	VAL	3.9
1	B	284	TYR	3.5
1	A	501	LYS	3.3
1	B	127	TYR	3.3
1	A	172	LEU	3.3
1	B	400	ALA	3.2
1	B	337	GLY	3.2
1	B	382	TYR	3.2
1	A	244	GLN	3.1
1	B	286	THR	3.1
1	B	76	GLY	3.1
1	A	330	LYS	3.1
1	A	387	ASP	3.0
1	B	328	ALA	3.0
1	B	120	ILE	3.0
1	A	175	TYR	2.9
1	A	3	PRO	2.8
1	B	330	LYS	2.8
1	B	288[A]	GLN	2.8
1	A	49	TRP	2.7
1	A	109	ASP	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	389	ARG	2.6
1	B	71	VAL	2.5
1	B	329	GLY	2.5
1	A	442	HIS	2.4
1	A	386	ARG	2.3
1	B	499	PRO	2.3
1	A	46	VAL	2.2
1	B	73	PHE	2.2
1	B	69	ASP	2.2
1	B	138	PRO	2.1
1	A	42	ALA	2.1
1	B	442	HIS	2.1
1	B	183[A]	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	LCY	A	601	8/8	0.49	0.24	62,79,83,83	8
2	LCY	B	601	8/8	0.60	0.27	77,84,91,91	8

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around LCY A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around LCY B 601:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.