



Full wwPDB EM Validation Report ⓘ

Oct 17, 2026 – 10:14 am BST

PDB ID : 9TE3 / pdb_00009te3
EMDB ID : EMD-55818
Title : Cryo-EM structure of C5*-CVFBb (state 2.2)
Authors : Joergensen, M.H.; Andersen, G.R.; Almeida, A.V.d.
Deposited on : 2025-11-25
Resolution : 3.82 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev133
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.2
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.51

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	9152 (3.32 - 4.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	659	
2	C	999	
3	B	627	
4	D	252	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	379	10% 89% 9%
6	J	764	26% 65% 34%

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 40566 atoms, of which 20239 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Complement C5 beta chain.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	657	Total	C	H	N	O	S	0	0
			10309	3330	5114	838	1014	13		

- Molecule 2 is a protein called Complement C5 alpha chain.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	C	170	Total	C	H	N	O	S	0	0
			2708	866	1360	227	248	7		

- Molecule 3 is a protein called Cobra venom factor alpha chain.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	B	625	Total	C	H	N	O	S	0	0
			9779	3122	4891	823	927	16		

- Molecule 4 is a protein called Cobra venom factor gamma chain.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	D	234	Total	C	H	N	O	S	0	0
			3772	1199	1907	312	349	5		

- Molecule 5 is a protein called Cobra venom factor beta chain.

Mol	Chain	Residues	Atoms						AltConf	Trace
5	E	373	Total	C	H	N	O	S	0	0
			5965	1895	2958	507	585	20		


- Molecule 6 is a protein called Complement factor B.

Mol	Chain	Residues	Atoms						AltConf	Trace
6	J	505	Total	C	H	N	O	S	0	0
			8003	2546	3996	689	752	20		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
J	279	GLY	ASP	engineered mutation	UNP P00751
J	699	ALA	SER	engineered mutation	UNP P00751

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms					AltConf
7	E	1	Total	C	H	N	O	0
			27	8	13	1	5	

- Molecule 8 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
8	J	1	Total	Mg	0
			1	1	


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		AltConf
9	E	1	Total	O	0
			1	1	
9	J	1	Total	O	0
			1	1	


[illegible]


- Molecule 3: Cobra venom factor alpha chain

Chain B:  94% 6%




- Molecule 4: Cobra venom factor gamma chain

Chain D:  11% 90% 7%




- Molecule 5: Cobra venom factor beta chain

Chain E: 10% 89% 9%



Chain J: 26% 65% 9%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	34621	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	59.9	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	130000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.815	Depositor
Minimum map value	-0.346	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.018	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	387.0, 387.0, 387.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.29, 1.29, 1.29	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.23	0/5316	0.49	0/7230
2	C	0.21	0/1378	0.48	0/1868
3	B	0.22	0/4999	0.45	0/6802
4	D	0.23	0/1903	0.48	0/2582
5	E	0.20	0/3061	0.44	0/4140
6	J	0.22	0/4095	0.45	0/5542
All	All	0.22	0/20752	0.46	0/28164

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5195	5114	5114	26	0
2	C	1348	1360	1360	9	0
3	B	4888	4891	4891	18	0
4	D	1865	1907	1907	5	0
5	E	3007	2958	2958	16	0
6	J	4007	3996	3996	5	0
7	E	14	13	13	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	J	1	0	0	0	0
9	E	1	0	0	0	0
9	J	1	0	0	0	0
All	All	20327	20239	20239	71	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (71) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:345:ILE:HG22	3:B:366:VAL:HG12	1.78	0.64
1:A:592:MET:HE1	2:C:786:LEU:HD11	1.84	0.59
5:E:1457:LYS:HG2	5:E:1469:THR:HG22	1.85	0.58
3:B:104:VAL:HB	3:B:121:LEU:HD11	1.85	0.58
3:B:143:VAL:HG23	3:B:188:LEU:HD21	1.87	0.57
3:B:264:LEU:HD11	3:B:275:SER:OG	2.05	0.56
6:J:387:MET:HE1	6:J:430:VAL:HB	1.86	0.56
1:A:127:PHE:CE1	1:A:623:VAL:HG13	2.41	0.56
3:B:555:LEU:HD23	3:B:556:ILE:O	2.06	0.56
1:A:31:PHE:HB2	1:A:119:ILE:HG22	1.88	0.56
1:A:198:MET:O	1:A:198:MET:HE3	2.06	0.55
1:A:182:ILE:HD11	2:C:804:ILE:HG21	1.88	0.55
1:A:592:MET:HE1	2:C:786:LEU:CD1	2.38	0.54
2:C:849:ARG:HH12	3:B:555:LEU:HD21	1.73	0.54
5:E:1539:ILE:HD12	5:E:1563:TYR:O	2.06	0.54
1:A:198:MET:HE1	1:A:200:THR:OG1	2.08	0.54
1:A:540:LEU:HD23	1:A:541:LEU:N	2.24	0.53
5:E:1407:TYR:O	5:E:1408:ILE:HD13	2.08	0.53
5:E:1381:ILE:HD12	5:E:1426:TYR:HD2	1.75	0.52
5:E:1591:LEU:HD13	5:E:1600:ILE:HD11	1.91	0.52
5:E:1590:LEU:HD12	5:E:1598:SER:O	2.11	0.51
1:A:485:ILE:HD12	1:A:523:TYR:HE2	1.76	0.51
3:B:390:THR:HG22	3:B:396:ALA:HB2	1.94	0.51
5:E:1345:LEU:HD23	5:E:1346:ASN:N	2.26	0.50
3:B:252:LEU:HD21	3:B:583:ALA:HB2	1.93	0.50
3:B:358:MET:HA	3:B:358:MET:HE2	1.94	0.50
5:E:1518:THR:HG21	6:J:435:ASN:ND2	2.26	0.50
1:A:310:LEU:HD23	1:A:311:SER:CB	2.43	0.49
3:B:445:LEU:HD21	3:B:533:ALA:C	2.38	0.48
2:C:839:ILE:HG23	2:C:841:LEU:HD11	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:1539:ILE:HD11	5:E:1562:GLN:HB3	1.95	0.48
4:D:836:LEU:HD11	4:D:848:VAL:HG21	1.95	0.47
1:A:470:THR:HG21	1:A:483:ASN:ND2	2.29	0.47
1:A:128:ILE:HG22	1:A:145:VAL:HG22	1.96	0.47
5:E:1478:THR:HG23	5:E:1480:LEU:H	1.80	0.46
5:E:1381:ILE:HD12	5:E:1426:TYR:CD2	2.50	0.45
1:A:146:TYR:CD1	1:A:182:ILE:HD12	2.52	0.45
4:D:820:MET:SD	4:D:832:ILE:HG21	2.57	0.44
1:A:181:GLY:O	1:A:182:ILE:HD13	2.18	0.44
1:A:275:LEU:HD21	1:A:322:TYR:CB	2.47	0.44
1:A:588:VAL:HG21	2:C:790:LEU:HD22	2.00	0.44
1:A:623:VAL:HG12	1:A:627:LEU:HD11	2.00	0.43
1:A:275:LEU:HD21	1:A:322:TYR:HB2	2.00	0.43
4:D:831:GLU:O	4:D:832:ILE:HD13	2.18	0.43
6:J:300:VAL:HG13	6:J:309:TYR:OH	2.18	0.43
1:A:146:TYR:HD1	1:A:182:ILE:HD12	1.83	0.43
1:A:310:LEU:HD23	1:A:311:SER:OG	2.18	0.43
5:E:1484:ILE:CD1	5:E:1493:ALA:HB2	2.49	0.42
6:J:502:ILE:HD12	6:J:536:SER:O	2.18	0.42
3:B:460:LEU:HD22	3:B:510:ILE:HD11	2.00	0.42
1:A:486:VAL:HG21	1:A:526:ILE:HD12	2.01	0.42
1:A:606:ASP:O	1:A:609:VAL:HG22	2.19	0.42
4:D:831:GLU:C	4:D:832:ILE:HD13	2.45	0.42
3:B:323:GLU:O	5:E:1424:ILE:HD11	2.20	0.41
3:B:167:THR:HG22	3:B:197:TRP:CH2	2.55	0.41
2:C:839:ILE:HG23	2:C:841:LEU:CD1	2.50	0.41
6:J:577:VAL:HG13	6:J:743:ILE:HG21	2.03	0.41
5:E:1548:ILE:HG23	5:E:1632:SER:HA	2.02	0.41
1:A:545:ILE:HG22	1:A:554:LEU:HD23	2.02	0.41
2:C:917:TRP:O	4:D:813:VAL:HG22	2.21	0.41
3:B:466:VAL:HG22	3:B:502:ASN:O	2.21	0.41
2:C:864:GLY:C	2:C:907:LEU:HD22	2.46	0.41
1:A:275:LEU:HD22	1:A:343:PRO:O	2.21	0.41
1:A:455:ILE:HG21	1:A:640:LEU:HD13	2.02	0.41
3:B:261:ALA:HB2	3:B:285:ILE:HD11	2.02	0.41
5:E:1528:LEU:HD12	5:E:1577:VAL:HA	2.02	0.41
3:B:445:LEU:H	3:B:445:LEU:HD23	1.86	0.41
3:B:143:VAL:HG23	3:B:188:LEU:CD2	2.50	0.40
3:B:125:SER:OG	3:B:154:THR:HG22	2.20	0.40
5:E:1438:LEU:HD12	5:E:1439:HIS:N	2.36	0.40
1:A:265:VAL:HG22	1:A:329:VAL:HG13	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	655/659 (99%)	605 (92%)	49 (8%)	1 (0%)	43	73
2	C	168/999 (17%)	157 (94%)	11 (6%)	0	100	100
3	B	623/627 (99%)	578 (93%)	45 (7%)	0	100	100
4	D	232/252 (92%)	221 (95%)	10 (4%)	1 (0%)	30	63
5	E	371/379 (98%)	354 (95%)	17 (5%)	0	100	100
6	J	503/764 (66%)	474 (94%)	29 (6%)	0	100	100
All	All	2552/3680 (69%)	2389 (94%)	161 (6%)	2 (0%)	49	79

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	D	737	ASP
1	A	180	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	582/584 (100%)	572 (98%)	10 (2%)	53	67
2	C	154/886 (17%)	152 (99%)	2 (1%)	61	71
3	B	547/548 (100%)	540 (99%)	7 (1%)	61	71

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	D	211/227 (93%)	210 (100%)	1 (0%)	81	81
5	E	339/345 (98%)	330 (97%)	9 (3%)	39	59
6	J	444/663 (67%)	441 (99%)	3 (1%)	76	77
All	All	2277/3253 (70%)	2245 (99%)	32 (1%)	57	70

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	TYR
1	A	70	HIS
1	A	144	ARG
1	A	312	TYR
1	A	422	LEU
1	A	555	VAL
1	A	576	SER
1	A	594	THR
1	A	620	LEU
1	A	642	ASN
2	C	804	ILE
2	C	883	CYS
3	B	37	THR
3	B	93	GLU
3	B	183	PHE
3	B	227	ARG
3	B	415	THR
3	B	535	SER
3	B	592	LYS
4	D	832	ILE
5	E	1293	ASN
5	E	1369	THR
5	E	1417	MET
5	E	1437	CYS
5	E	1455	SER
5	E	1459	TYR
5	E	1484	ILE
5	E	1624	LEU
5	E	1633	TYR
6	J	296	LEU
6	J	414	ASP
6	J	592	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	298	GLN
1	A	462	GLN
1	A	483	ASN
1	A	511	HIS
1	A	591	ASN
3	B	107	GLN
3	B	509	HIS
6	J	438	ASN
6	J	484	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	NAG	E	1701	5	14,14,15	0.95	1 (7%)	17,19,21	3.41	8 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	E	1701	5	-	3/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	E	1701	NAG	C1-C2	2.60	1.56	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	E	1701	NAG	C2-N2-C7	9.60	136.57	122.90
7	E	1701	NAG	C1-C2-N2	4.98	118.99	110.49
7	E	1701	NAG	C8-C7-N2	4.44	123.62	116.10
7	E	1701	NAG	C1-O5-C5	3.98	117.58	112.19
7	E	1701	NAG	O5-C1-C2	3.75	117.20	111.29
7	E	1701	NAG	O7-C7-C8	-2.60	117.22	122.06
7	E	1701	NAG	C3-C4-C5	-2.34	106.06	110.24
7	E	1701	NAG	O5-C5-C4	-2.18	105.53	110.83

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	E	1701	NAG	C1-C2-N2-C7
7	E	1701	NAG	C8-C7-N2-C2
7	E	1701	NAG	O7-C7-N2-C2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-55818. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 151




Y Index: 151




Z Index: 173


6.3.2 Raw map



X Index: 152



Y Index: 151




Z Index: 173


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 284 nm³; this corresponds to an approximate mass of 257 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.262 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.262 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.82	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.89	9.07	6.51

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.89 differs from the reported value 3.82 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-55818 and PDB model 9TE3. Per-residue inclusion information can be found in section [3](#) on page [6](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).

9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 81% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8100	0.2340
A	0.9100	0.2580
B	0.9110	0.2830
C	0.9120	0.2300
D	0.7910	0.2710
E	0.7960	0.2240
J	0.5420	0.1360

1.0

0.0

<0.0