



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 1, 2026 – 06:08 PM JST

PDB ID : 9VCN / pdb\_00009vcn  
Title : NAD-DEPENDENT DEHYDROGENASE  
Authors : Niu, M.; Shen, Y.  
Deposited on : 2025-06-06  
Resolution : 2.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	342	<div> <div>2%</div> <div> <div></div> <div>86%</div> <div>8%</div> <div>6%</div> </div> </div>
1	C	342	<div> <div>%</div> <div> <div></div> <div>83%</div> <div>10%</div> <div>6%</div> </div> </div>
2	B	256	<div> <div>3%</div> <div> <div></div> <div>91%</div> <div>8%</div> </div> </div>
2	D	256	<div> <div>2%</div> <div> <div></div> <div>79%</div> <div>18%</div> <div>.</div> </div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8640 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH-dependent dihydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	321	Total	C	N	O	S	0	0	0
			2344	1472	425	443	4			
1	C	320	Total	C	N	O	S	0	0	0
			2346	1473	427	442	4			


- Molecule 2 is a protein called Rift.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	255	Total	C	N	O	S	0	0	0
			1828	1145	316	362	5			
2	D	255	Total	C	N	O	S	0	0	0
			1824	1142	315	362	5			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	348	MET	-	initiating methionine	UNP O52542
B	349	VAL	-	expression tag	UNP O52542
D	348	MET	-	initiating methionine	UNP O52542
D	349	VAL	-	expression tag	UNP O52542

- Molecule 3 is (7E,9S,10S,11R,12R,13R,14R,15R,16S,17S,18E,20Z)-2,4,10,12,14,16-hexahydroxy-3,7,9,11,13,15,17,21-octamethyl-23-azatricyclo[22.3.1.05,27]octacos-1,3,5(27),7,18,20,24-heptaene-6,22,26,28-tetrone (CCD ID: US6) (formula: C<sub>35</sub>H<sub>45</sub>NO<sub>10</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total 46	C 35	N 1	O 10	0	0
3	C	1	Total 46	C 35	N 1	O 10	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	47	Total O 47 47	0	0
4	B	52	Total O 52 52	0	0
4	C	59	Total O 59 59	0	0
4	D	48	Total O 48 48	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NADH-dependent dihydrogenase




- Molecule 1: NADH-dependent dihydrogenase




- Molecule 2: Rift



- Molecule 2: Rift





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	190.85Å 82.35Å 88.28Å 90.00° 100.04° 90.00°	Depositor
Resolution (Å)	46.98 – 2.39 46.98 – 2.39	Depositor EDS
% Data completeness (in resolution range)	92.8 (46.98-2.39) 92.5 (46.98-2.39)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.32 (at 2.40Å)	Xtriage
Refinement program	PHENIX (1.18.2_3874: ???)	Depositor
R, $R_{free}$	0.194 , 0.250 0.195 , 0.251	Depositor DCC
$R_{free}$ test set	2000 reflections (3.72%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	44.1	Xtriage
Anisotropy	0.125	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 37.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8640	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.03% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: US6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.37	0/2400	0.59	1/3276 (0.0%)
1	C	0.56	5/2401 (0.2%)	0.67	1/3275 (0.0%)
2	B	0.38	0/1860	0.62	0/2534
2	D	0.83	10/1856 (0.5%)	0.71	1/2530 (0.0%)
All	All	0.55	15/8517 (0.2%)	0.65	3/11615 (0.0%)

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	464	ALA	C-O	-7.13	1.15	1.24
2	D	472	ALA	C-O	-7.07	1.15	1.24
2	D	470	ASP	C-O	-6.55	1.16	1.24
2	D	469	LEU	C-O	-6.49	1.16	1.24
2	D	383	GLU	C-O	-6.39	1.18	1.24
1	C	32	LEU	C-O	-6.16	1.16	1.24
1	C	26	ALA	C-O	-6.08	1.18	1.24
2	D	471	LEU	C-O	-5.84	1.16	1.24
2	D	468	LEU	C-O	-5.67	1.16	1.24
2	D	466	PRO	C-O	-5.42	1.17	1.24
2	D	385	VAL	C-O	-5.37	1.17	1.24
1	C	27	GLY	C-O	-5.28	1.17	1.24
1	C	29	ILE	C-O	-5.17	1.17	1.24
2	D	473	ASP	C-O	-5.15	1.18	1.24
1	C	28	LEU	C-O	-5.14	1.17	1.24

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	382	PHE	N-CA-C	8.20	123.29	113.28
1	C	26	ALA	N-CA-C	6.16	117.67	110.41

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	312	LYS	CB-CG-CD	-5.32	99.05	111.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2344	0	2269	19	0
1	C	2346	0	2273	20	0
2	B	1828	0	1796	15	0
2	D	1824	0	1785	30	0
3	A	46	0	0	0	0
3	C	46	0	0	0	0
4	A	47	0	0	0	0
4	B	52	0	0	0	0
4	C	59	0	0	1	0
4	D	48	0	0	1	0
All	All	8640	0	8123	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:579:GLN:NE2	4:D:701:HOH:O	2.21	0.72
2:B:404:LYS:HB3	2:B:407:ASP:HB2	1.78	0.65
1:A:91:ALA:O	1:A:95:ILE:HG12	1.98	0.64
1:A:149:SER:OG	1:A:151:ARG:HG3	1.98	0.63
1:A:45:ARG:NH1	1:A:73:ASP:O	2.23	0.62
2:B:394:ARG:HA	2:B:418:ARG:HB3	1.81	0.62
2:D:432:ALA:O	2:D:436:LYS:HD3	2.00	0.61
2:D:401:PRO:O	2:D:403:ALA:N	2.31	0.61
2:B:355:SER:HB2	2:B:398:GLU:CD	2.25	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:481:ALA:HB2	2:D:587:ILE:HD11	1.84	0.60
1:C:45:ARG:HD2	1:C:71:ALA:O	2.02	0.60
1:A:45:ARG:HD2	1:A:71:ALA:O	2.02	0.59
1:A:88:HIS:CD2	1:A:113:GLU:HG2	2.39	0.58
2:B:593:GLU:HG2	2:B:601:VAL:HG21	1.86	0.57
2:D:465:ALA:N	2:D:466:PRO:CD	2.68	0.56
1:C:91:ALA:O	1:C:95:ILE:HG12	2.06	0.56
1:A:88:HIS:HA	1:A:117:ILE:HD11	1.89	0.55
2:D:467:TYR:HD1	2:D:467:TYR:N	2.04	0.55
1:C:102:VAL:HG22	1:C:301:PHE:CE2	2.42	0.55
2:D:352:ALA:HB3	2:D:395:VAL:HG22	1.87	0.54
1:C:33:HIS:CE1	1:C:294:MET:HE1	2.43	0.54
2:B:409:LYS:HE3	2:B:582:LEU:HD21	1.88	0.54
2:D:498:GLU:N	2:D:498:GLU:OE1	2.36	0.54
2:B:400:PRO:HG3	2:B:408:LEU:HB2	1.90	0.54
2:D:467:TYR:N	2:D:467:TYR:CD1	2.74	0.53
2:D:431:PHE:CE2	2:D:435:ARG:HD2	2.42	0.53
2:D:458:ASP:HB3	2:D:496:ILE:O	2.08	0.53
2:D:383:GLU:OE1	2:D:387:GLN:NE2	2.42	0.52
2:B:355:SER:HB2	2:B:398:GLU:OE2	2.11	0.51
1:C:146:LEU:HD22	1:C:151:ARG:HD2	1.92	0.50
1:A:279:ALA:HB1	1:A:281:ASN:OD1	2.11	0.50
1:A:68:LEU:HD11	1:A:90:ILE:HG23	1.93	0.49
1:A:44:VAL:O	1:A:63:LYS:HG2	2.11	0.49
1:A:276:ASP:OD1	2:D:537:SER:OG	2.30	0.49
2:B:448:THR:HB	2:B:532:ILE:HB	1.95	0.48
1:C:88:HIS:HA	1:C:117:ILE:HD11	1.94	0.48
1:A:142:ARG:HD2	2:D:553:GLU:OE1	2.12	0.48
2:D:479:GLU:CD	2:D:480:PRO:HD2	2.37	0.48
2:D:378:SER:C	2:D:380:ASP:H	2.22	0.48
2:B:547:LEU:HD13	1:C:262:VAL:HG21	1.96	0.48
1:A:69:GLU:OE1	1:A:69:GLU:N	2.42	0.47
1:A:205:ALA:HA	1:A:224:THR:O	2.15	0.47
1:C:177:ARG:HD2	1:C:329:TRP:NE1	2.30	0.47
1:C:309:ILE:HG13	1:C:313:ASP:HB2	1.97	0.47
1:A:88:HIS:CE1	1:A:92:LEU:HD11	2.50	0.46
1:A:31:ARG:HD2	1:A:56:LEU:HD11	1.98	0.46
1:C:284:TYR:CZ	1:C:286:GLY:HA2	2.50	0.46
1:A:151:ARG:HE	2:D:551:ARG:NH1	2.14	0.46
2:D:362:ALA:O	2:D:366:ARG:HG3	2.16	0.46
1:A:276:ASP:OD1	1:A:276:ASP:N	2.48	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:400:PRO:HG2	2:D:585:PHE:CE1	2.51	0.45
2:B:493:SER:OG	2:B:519:ARG:NE	2.42	0.45
1:C:182:LEU:HD12	1:C:211:ILE:HG21	1.98	0.45
1:C:322:HIS:HE1	4:C:527:HOH:O	1.99	0.45
1:C:32:LEU:HD13	1:C:290:PHE:CE2	2.52	0.44
1:C:240:ARG:HD2	2:D:532:ILE:HD13	1.99	0.44
2:B:431:PHE:HB2	2:B:540:TYR:CE2	2.53	0.44
2:D:355:SER:HB2	2:D:398:GLU:CD	2.42	0.44
2:D:353:ILE:HD11	2:D:365:LEU:CD1	2.48	0.44
1:C:102:VAL:HG22	1:C:301:PHE:HE2	1.81	0.43
2:D:427:HIS:CE1	2:D:574:PRO:HD2	2.53	0.43
2:D:431:PHE:O	2:D:435:ARG:HG3	2.18	0.43
2:D:599:GLN:OE1	2:D:600:PRO:HD2	2.18	0.43
1:C:17:ARG:NH2	1:C:18:GLN:O	2.52	0.42
1:C:232:GLY:O	2:D:489:ASN:ND2	2.52	0.42
2:B:455:THR:O	2:B:519:ARG:HA	2.19	0.42
1:C:166:HIS:ND1	1:C:168:ARG:O	2.53	0.42
1:A:142:ARG:HH11	2:D:553:GLU:HB3	1.83	0.42
2:B:547:LEU:HD13	1:C:262:VAL:CG2	2.51	0.41
2:B:383:GLU:N	2:B:384:PRO:HD2	2.36	0.41
2:D:378:SER:C	2:D:380:ASP:N	2.77	0.41
2:D:402:ALA:HA	2:D:585:PHE:CZ	2.55	0.41
2:B:493:SER:CB	2:B:519:ARG:HH21	2.33	0.40
2:D:425:ALA:HA	2:D:559:LEU:HD13	2.03	0.40
1:A:291:ASP:O	1:A:295:ARG:HG3	2.20	0.40
1:C:92:LEU:HA	1:C:92:LEU:HD23	1.73	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	319/342 (93%)	314 (98%)	5 (2%)	0	100	100
1	C	316/342 (92%)	314 (99%)	2 (1%)	0	100	100
2	B	253/256 (99%)	245 (97%)	7 (3%)	1 (0%)	30	43
2	D	253/256 (99%)	240 (95%)	13 (5%)	0	100	100
All	All	1141/1196 (95%)	1113 (98%)	27 (2%)	1 (0%)	48	64

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	493	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	222/236 (94%)	222 (100%)	0	100	100
1	C	223/236 (94%)	220 (99%)	3 (1%)	61	80
2	B	179/181 (99%)	179 (100%)	0	100	100
2	D	178/181 (98%)	175 (98%)	3 (2%)	53	74
All	All	802/834 (96%)	796 (99%)	6 (1%)	76	88

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	28	LEU
1	C	29	ILE
1	C	31	ARG
2	D	378	SER
2	D	382	PHE
2	D	469	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	322	HIS
1	C	194	HIS
2	D	589	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	US6	A	401	-	48,48,48	2.58	22 (45%)	69,72,72	2.00	14 (20%)
3	US6	C	401	-	48,48,48	2.31	14 (29%)	69,72,72	1.45	10 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	US6	A	401	-	-	34/58/74/74	0/2/3/3

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	US6	C	401	-	-	38/58/74/74	0/2/3/3

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	401	US6	C11-C10	7.22	1.51	1.36
3	A	401	US6	C11-C10	6.84	1.50	1.36
3	A	401	US6	C07-N09	6.15	1.48	1.37
3	C	401	US6	C07-N09	5.52	1.47	1.37
3	A	401	US6	C19-C20	5.09	1.59	1.46
3	A	401	US6	C14-C12	4.79	1.59	1.46
3	C	401	US6	C14-C12	4.58	1.58	1.46
3	C	401	US6	C19-C20	4.11	1.57	1.46
3	C	401	US6	C04-C05	4.10	1.56	1.43
3	A	401	US6	C27-C25	3.81	1.57	1.48
3	A	401	US6	C04-C05	3.60	1.54	1.43
3	C	401	US6	C11-C12	3.41	1.52	1.44
3	C	401	US6	C27-C25	3.30	1.56	1.48
3	A	401	US6	C11-C12	3.20	1.51	1.44
3	A	401	US6	O13-C12	-3.00	1.17	1.24
3	A	401	US6	C28-C27	2.99	1.37	1.33
3	A	401	US6	C15-C25	2.96	1.57	1.51
3	A	401	US6	C10-N09	2.94	1.48	1.41
3	A	401	US6	C29-C28	2.78	1.57	1.51
3	A	401	US6	C31-C30	2.71	1.61	1.54
3	C	401	US6	C29-C28	2.70	1.57	1.51
3	A	401	US6	C16-C17	2.56	1.45	1.40
3	A	401	US6	C31-C32	2.56	1.61	1.54
3	A	401	US6	O22-C18	2.50	1.42	1.37
3	A	401	US6	C46-C06	2.44	1.56	1.50
3	A	401	US6	O24-C16	2.39	1.42	1.37
3	C	401	US6	C28-C27	2.38	1.36	1.33
3	C	401	US6	O13-C12	-2.37	1.19	1.24
3	A	401	US6	C10-C20	2.20	1.53	1.50
3	C	401	US6	C33-C32	2.19	1.60	1.54
3	C	401	US6	C10-N09	2.19	1.46	1.41
3	A	401	US6	C19-C14	2.15	1.46	1.41
3	A	401	US6	C35-C34	2.07	1.59	1.54
3	C	401	US6	O08-C07	-2.06	1.19	1.23
3	C	401	US6	O24-C16	2.05	1.41	1.37
3	A	401	US6	C02-C03	2.00	1.56	1.51

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	401	US6	C20-C10-N09	10.03	120.98	112.35
3	C	401	US6	C20-C10-N09	5.81	117.35	112.35
3	A	401	US6	C11-C10-N09	-4.36	118.96	126.57
3	A	401	US6	C44-C29-C28	-4.02	103.36	110.05
3	A	401	US6	O13-C12-C11	-3.82	115.41	121.79
3	C	401	US6	C45-C27-C25	3.64	122.21	115.53
3	C	401	US6	C05-C04-C03	-3.42	116.24	124.53
3	A	401	US6	C29-C30-C31	3.39	121.86	114.96
3	A	401	US6	C32-C31-C30	3.32	119.20	112.54
3	A	401	US6	C05-C04-C03	-3.22	116.73	124.53
3	A	401	US6	C45-C27-C25	3.11	121.23	115.53
3	A	401	US6	C14-C12-C11	3.07	122.60	116.43
3	A	401	US6	C29-C28-C27	2.90	134.06	126.32
3	C	401	US6	C10-N09-C07	-2.78	113.94	125.01
3	C	401	US6	C11-C10-N09	-2.74	121.78	126.57
3	C	401	US6	O13-C12-C11	-2.59	117.47	121.79
3	A	401	US6	C34-C33-C32	-2.46	107.59	112.54
3	C	401	US6	C06-C07-N09	2.34	119.12	114.52
3	A	401	US6	C02-C03-C04	-2.32	121.28	126.16
3	C	401	US6	C18-C19-C20	-2.18	116.79	120.76
3	C	401	US6	C29-C30-C31	-2.17	110.55	114.96
3	A	401	US6	C44-C29-C30	2.10	115.72	111.31
3	A	401	US6	C46-C06-C05	-2.06	118.44	123.42
3	C	401	US6	C36-C02-C03	2.04	116.23	111.42

There are no chirality outliers.

All (72) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	401	US6	C01-C02-C36-C35
3	A	401	US6	C01-C02-C36-O37
3	A	401	US6	C03-C02-C36-C35
3	A	401	US6	C03-C02-C36-O37
3	A	401	US6	C27-C28-C29-C30
3	A	401	US6	C27-C28-C29-C44
3	A	401	US6	C28-C29-C30-C31
3	A	401	US6	C28-C29-C30-O43
3	A	401	US6	C44-C29-C30-C31
3	A	401	US6	C44-C29-C30-O43
3	A	401	US6	C32-C33-C34-O39
3	A	401	US6	C38-C35-C36-C02

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	C	401	US6	C01-C02-C36-C35
3	C	401	US6	C01-C02-C36-O37
3	C	401	US6	C03-C02-C36-C35
3	C	401	US6	C03-C02-C36-O37
3	C	401	US6	C11-C10-N09-C07
3	C	401	US6	C20-C10-N09-C07
3	C	401	US6	C28-C29-C30-C31
3	C	401	US6	C44-C29-C30-C31
3	C	401	US6	C44-C29-C30-O43
3	C	401	US6	C29-C30-C31-C32
3	C	401	US6	O43-C30-C31-C32
3	C	401	US6	O43-C30-C31-C42
3	C	401	US6	O39-C34-C35-C36
3	A	401	US6	C38-C35-C36-O37
3	A	401	US6	C30-C31-C32-O41
3	A	401	US6	O41-C32-C33-C34
3	A	401	US6	C34-C35-C36-O37
3	C	401	US6	C29-C30-C31-C42
3	A	401	US6	C30-C31-C32-C33
3	A	401	US6	C34-C35-C36-C02
3	A	401	US6	O41-C32-C33-C40
3	A	401	US6	C40-C33-C34-C35
3	C	401	US6	C42-C31-C32-C33
3	C	401	US6	C33-C34-C35-C38
3	A	401	US6	C32-C33-C34-C35
3	C	401	US6	C40-C33-C34-O39
3	C	401	US6	O39-C34-C35-C38
3	C	401	US6	C40-C33-C34-C35
3	C	401	US6	C28-C29-C30-O43
3	C	401	US6	C32-C33-C34-C35
3	C	401	US6	C33-C34-C35-C36
3	A	401	US6	C42-C31-C32-O41
3	A	401	US6	C40-C33-C34-O39
3	C	401	US6	C42-C31-C32-O41
3	C	401	US6	C30-C31-C32-O41
3	A	401	US6	C42-C31-C32-C33
3	A	401	US6	C01-C02-C03-C04
3	C	401	US6	C32-C33-C34-O39
3	A	401	US6	C11-C10-N09-C07
3	C	401	US6	O41-C32-C33-C34
3	C	401	US6	C30-C31-C32-C33
3	C	401	US6	C05-C06-C07-N09

*Continued on next page...*



*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
3	C	401	US6	O41-C32-C33-C40
3	A	401	US6	C31-C32-C33-C40
3	A	401	US6	C20-C10-N09-C07
3	C	401	US6	C38-C35-C36-O37
3	C	401	US6	C31-C32-C33-C40
3	C	401	US6	C31-C32-C33-C34
3	C	401	US6	C03-C04-C05-C06
3	A	401	US6	C31-C32-C33-C34
3	C	401	US6	C05-C06-C07-O08
3	C	401	US6	C38-C35-C36-C02
3	C	401	US6	C46-C06-C07-N09
3	C	401	US6	C34-C35-C36-O37
3	A	401	US6	C36-C02-C03-C04
3	C	401	US6	C46-C06-C07-O08
3	A	401	US6	C05-C06-C07-N09
3	A	401	US6	C05-C06-C07-O08
3	A	401	US6	C16-C15-C25-O26
3	A	401	US6	C46-C06-C07-O08


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

## Ligand US6 A 401





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	321/342 (93%)	0.30	6 (1%) 66 62	37, 56, 84, 99	0
1	C	320/342 (93%)	0.15	5 (1%) 70 66	37, 49, 68, 95	0
2	B	255/256 (99%)	0.21	8 (3%) 51 47	38, 50, 79, 113	0
2	D	255/256 (99%)	0.22	4 (1%) 70 66	38, 51, 75, 98	0
All	All	1151/1196 (96%)	0.22	23 (1%) 65 60	37, 51, 80, 113	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	338	VAL	4.5
2	B	368	LEU	4.1
2	B	496	ILE	4.0
2	D	570	ALA	3.4
2	B	494	GLY	3.3
2	B	403	ALA	3.2
1	C	280	GLY	3.0
1	A	278	GLY	2.9
1	C	281	ASN	2.8
2	D	572	ASP	2.8
1	C	102	VAL	2.7
2	B	493	SER	2.7
2	B	380	ASP	2.6
1	A	279	ALA	2.6
1	C	56	LEU	2.5
1	A	64	ALA	2.5
1	C	58	ALA	2.4
1	A	280	GLY	2.3
1	A	56	LEU	2.3
2	B	369	PRO	2.2
2	B	402	ALA	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	D	402	ALA	2.1
2	D	369	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	US6	A	401	46/46	0.67	0.22	60,76,84,88	0
3	US6	C	401	46/46	0.86	0.15	51,67,75,77	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around US6 A 401:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around US6 C 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.