



Full wwPDB EM Validation Report ⓘ

Aug 4, 2026 – 03:29 PM JST

PDB ID : 9XI2 / pdb_00009xi2
EMDB ID : EMD-66894
Title : SARS-CoV-2 Omicron BA.4/5 spike RBD in complex with C807 Fab and ACE2
Authors : Niu, C.; Liu, B.; Gao, X.; Li, Z.; He, J.; Xiong, X.
Deposited on : 2025-11-02
Resolution : 2.83 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev133
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.83 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	11847 (2.33 - 3.33)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	602	
2	E	196	
3	H	228	
4	L	217	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9669 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Processed angiotensin-converting enzyme 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	596	Total	C	N	O	S	0	0
			4864	3112	805	918	29		

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	616	PRO	-	expression tag	UNP Q9BYF1
A	617	LEU	-	expression tag	UNP Q9BYF1
A	618	VAL	-	expression tag	UNP Q9BYF1
A	619	PRO	-	expression tag	UNP Q9BYF1
A	620	ARG	-	expression tag	UNP Q9BYF1

- Molecule 2 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	E	193	Total	C	N	O	S	0	0
			1540	992	261	279	8		

There are 17 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	339	ASP	GLY	variant	UNP P0DTC2
E	371	PHE	SER	variant	UNP P0DTC2
E	373	PRO	SER	variant	UNP P0DTC2
E	375	PHE	SER	variant	UNP P0DTC2
E	376	ALA	THR	variant	UNP P0DTC2
E	405	ASN	ASP	variant	UNP P0DTC2
E	408	SER	ARG	variant	UNP P0DTC2
E	417	ASN	LYS	variant	UNP P0DTC2
E	440	LYS	ASN	variant	UNP P0DTC2
E	452	ARG	LEU	variant	UNP P0DTC2
E	477	ASN	SER	variant	UNP P0DTC2
E	478	LYS	THR	variant	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	484	ALA	GLU	variant	UNP P0DTC2
E	486	VAL	PHE	variant	UNP P0DTC2
E	498	ARG	GLN	variant	UNP P0DTC2
E	501	TYR	ASN	variant	UNP P0DTC2
E	505	HIS	TYR	variant	UNP P0DTC2

- Molecule 3 is a protein called Heavy chain of C807 Fab.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	H	222	Total	C	N	O	S	2	0
			1650	1045	271	328	6		


- Molecule 4 is a protein called Light chain of C807 Fab.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	L	213	Total	C	N	O	S	0	0
			1558	972	262	320	4		

- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
5	A	1	Total	Zn	0
			1	1	

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				AltConf
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	A	1	Total	C	N	O	0
			14	8	1	5	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Processed angiotensin-converting enzyme 2



• Molecule 2: Spike protein S1




• Molecule 3: Heavy chain of C807 Fab



G150	C151	L152	V153	K154	D155	Y156	F157	P158	E159	P160	V161	T162	V163	S164	W165	N166	S167	G168	A169	L170	T171	S172	G173	V174	H175	T176	F177	P178	A179	V180	L181	Q182	S183	S184	G185	L186	Y187	S188	L189	S190	S191	V192	V193	T194	V195	P196	S197	S198	S199	L200	G201	T202	Q203	T204	Y205	I206	C207	N208	V209
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

N210	H211	K212	P213	S214	N215	T216	K217	V218	D219	K220	K221	V222	GLU	PRO	LYS	SER	CYS	ASP
------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----

● Molecule 4: Light chain of C807 Fab



GLN	S2	P14	Q40	L41	T44	A45	I50	R56	D62	A86	L111	G112	Q113	P114	K115	A116	A117	P118	S119	V120	T121	L122	F123	P124	P125	S126	S127	E128	E129	L130	Q131	A132	N133	K134	A135	T136	L137	V138	C139	L140	I141	S142	D143	F144	Y145	P146	G147	A148	V149	T150	V151
-----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

A152	W153	K154	A155	D156	S157	S158	P159	V160	K161	A162	G163	V164	E165	T166	T167	T168	P169	S170	K171	Q172	S173	N174	N175	K176	Y177	A178	A179	S180	S181	Y182	L183	S184	L185	T186	P187	E188	Q189	W190	K191	S192	H193	R194	S195	Y196	S197	C198	Q199	V200	T201	H202	E203	G204	S205	T206	V207	E208	K209	T210	V211
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

A212	P213	T214	GLU	CYS	SER
------	------	------	-----	-----	-----

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	336871	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	TFS FALCON 4i (4k x 4k)	Depositor
Maximum map value	2.360	Depositor
Minimum map value	-1.590	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.027	Depositor
Recommended contour level	0.145	Depositor
Map size (Å)	327.936, 327.936, 327.936	wwPDB
Map dimensions	448, 448, 448	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.732, 0.732, 0.732	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.20	0/5001	0.38	0/6795
2	E	0.27	0/1586	0.44	0/2158
3	H	0.18	0/1698	0.40	0/2311
4	L	0.14	0/1596	0.33	0/2183
All	All	0.21	0/9881	0.39	0/13447

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	L	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	L	112	GLY	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4864	0	4634	57	0
2	E	1540	0	1463	26	0
3	H	1650	0	1611	15	0
4	L	1558	0	1499	12	0
5	A	1	0	0	0	0
6	A	56	0	52	0	0
All	All	9669	0	9259	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:350:VAL:HG12	2:E:422:ASN:HB3	1.11	1.10
1:A:276:THR:HG22	1:A:445:THR:HB	1.42	0.99
2:E:350:VAL:CG1	2:E:422:ASN:HB3	1.94	0.97
1:A:276:THR:CG2	1:A:445:THR:HB	1.95	0.97
2:E:350:VAL:HG12	2:E:422:ASN:CB	2.02	0.84
2:E:334:ASN:HD22	2:E:334:ASN:N	1.83	0.75
3:H:52:ILE:CG2	3:H:57:THR:HG22	2.17	0.74
1:A:326:GLY:O	1:A:330:ASN:HB2	1.87	0.73
1:A:459:TRP:O	1:A:463:VAL:HG23	1.88	0.73
2:E:365:TYR:HA	2:E:368:LEU:HD13	1.70	0.72
3:H:52:ILE:HG23	3:H:57:THR:HG22	1.72	0.71
1:A:538:PRO:HD2	1:A:541:LYS:HE2	1.72	0.71
4:L:50:ILE:CD1	4:L:56:ARG:HG2	2.23	0.68
1:A:570:LEU:O	1:A:574:VAL:HG22	1.95	0.67
2:E:350:VAL:HG21	2:E:402:ILE:HG22	1.76	0.66
1:A:276:THR:CG2	1:A:445:THR:CB	2.74	0.66
2:E:379:CYS:HA	2:E:432:CYS:HA	1.78	0.66
1:A:168:TRP:O	1:A:172:VAL:HG12	1.98	0.63
1:A:460:ARG:HD3	1:A:506:VAL:HG23	1.79	0.63
3:H:52:ILE:CG2	3:H:57:THR:CG2	2.77	0.62
1:A:290:ASN:HD22	1:A:291:ILE:H	1.48	0.62
1:A:474:MET:HA	1:A:474:MET:HE2	1.82	0.61
1:A:177:ARG:NH2	1:A:470:LYS:O	2.34	0.60
3:H:71:THR:OG1	3:H:80:TYR:HB2	2.02	0.60
1:A:55:THR:OG1	1:A:58:ASN:ND2	2.36	0.59
1:A:478:TRP:NE1	1:A:499:ASP:OD2	2.36	0.58
2:E:461:LEU:HD12	2:E:462:LYS:O	2.04	0.57
2:E:433:VAL:HG12	2:E:512:VAL:HG13	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:480:MET:HA	1:A:483:GLU:HB3	1.87	0.57
1:A:288:LYS:NZ	1:A:431:ASP:OD2	2.38	0.56
2:E:350:VAL:CG1	2:E:422:ASN:CB	2.71	0.56
1:A:152:MET:O	1:A:161:ARG:NH1	2.34	0.56
3:H:39:GLN:OE1	4:L:40:GLN:NE2	2.38	0.55
1:A:201:ASP:OD2	1:A:219:ARG:NH1	2.38	0.55
2:E:358:ILE:HB	2:E:395:VAL:HB	1.89	0.54
4:L:56:ARG:NH2	4:L:62:ASP:OD1	2.40	0.54
3:H:40:ALA:HB3	3:H:43:GLN:HB2	1.90	0.54
1:A:54:ILE:HD11	1:A:343:VAL:HG22	1.90	0.53
1:A:303:ASP:OD1	1:A:303:ASP:N	2.37	0.53
1:A:313:LYS:HA	1:A:316:VAL:HG22	1.91	0.53
1:A:144:LEU:HA	1:A:148:LEU:HB2	1.91	0.52
2:E:350:VAL:HG21	2:E:402:ILE:CG2	2.38	0.52
1:A:457:GLU:HG2	1:A:512:PHE:HB3	1.91	0.52
1:A:482:ARG:NH2	1:A:611:SER:OG	2.44	0.51
3:H:47:TRP:HZ2	3:H:50:GLU:HG3	1.75	0.51
1:A:168:TRP:HE1	1:A:502:SER:HB2	1.75	0.51
1:A:297:MET:HE1	1:A:369:PHE:HB2	1.92	0.51
1:A:142:LEU:HD22	1:A:147:GLY:HA3	1.94	0.50
2:E:393:THR:O	2:E:523:THR:OG1	2.28	0.49
2:E:467:ASP:OD1	2:E:469:SER:OG	2.30	0.49
3:H:61:ALA:HB3	3:H:64:PHE:HD2	1.76	0.49
1:A:535:HIS:NE2	1:A:538:PRO:O	2.39	0.49
1:A:168:TRP:CE2	1:A:172:VAL:HG11	2.48	0.48
2:E:391:CYS:HB2	2:E:525:CYS:HA	1.95	0.48
2:E:472:ILE:HD12	2:E:484:ALA:HB2	1.95	0.48
3:H:97:ALA:HB1	3:H:111:PHE:HB3	1.95	0.48
4:L:44:THR:OG1	4:L:45:ALA:N	2.46	0.48
4:L:50:ILE:HD13	4:L:56:ARG:HG2	1.94	0.48
3:H:132:VAL:HG22	3:H:153:VAL:HG13	1.96	0.47
2:E:350:VAL:CG2	2:E:402:ILE:CG2	2.92	0.47
1:A:564:GLU:HB3	1:A:568:LEU:HD23	1.96	0.47
1:A:379:ILE:O	1:A:383:MET:HG2	2.13	0.47
1:A:376:MET:HE3	1:A:376:MET:HB2	1.87	0.46
2:E:378:LYS:HD2	2:E:378:LYS:N	2.30	0.45
1:A:83:TYR:O	1:A:101:GLN:NE2	2.50	0.45
2:E:503:VAL:HA	2:E:506:GLN:HG3	1.99	0.45
4:L:14:PRO:HD2	4:L:111:LEU:HD13	1.97	0.45
3:H:52:ILE:HD12	3:H:53:PRO:HD2	1.99	0.45
4:L:190:TRP:O	4:L:196:TYR:OH	2.34	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:77:SER:O	1:A:81:GLN:HG2	2.17	0.44
1:A:192:ARG:NE	1:A:197:GLU:O	2.49	0.44
2:E:461:LEU:CD1	2:E:462:LYS:O	2.65	0.44
2:E:450:ASN:O	2:E:452:ARG:NH2	2.51	0.44
1:A:294:THR:HG23	1:A:365:THR:HA	2.00	0.44
3:H:165:TRP:HE1	3:H:205:TYR:HB3	1.83	0.44
4:L:41:LEU:HD23	4:L:86:ALA:HB2	2.00	0.44
1:A:524:GLN:HB3	1:A:574:VAL:HG11	1.99	0.44
3:H:156:TYR:CZ	3:H:189:LEU:HD23	2.53	0.43
1:A:53:ASN:O	1:A:58:ASN:ND2	2.51	0.43
2:E:410:ILE:HG22	2:E:433:VAL:HG11	2.00	0.43
4:L:113:GLN:HE21	4:L:145:TYR:HB2	1.82	0.43
1:A:482:ARG:HE	1:A:488:VAL:HG22	1.82	0.43
3:H:150:GLY:HA2	3:H:165:TRP:HH2	1.83	0.43
1:A:165:TRP:O	1:A:169:ARG:HB2	2.17	0.43
4:L:156:ASP:OD2	4:L:195:SER:OG	2.37	0.43
2:E:378:LYS:HD2	2:E:378:LYS:H	1.84	0.43
3:H:134:PRO:HD3	3:H:220:LYS:HD2	1.99	0.43
1:A:184:VAL:HG22	1:A:464:PHE:HE1	1.83	0.43
1:A:56:GLU:OE2	1:A:60:GLN:NE2	2.52	0.42
1:A:465:LYS:HB3	1:A:467:GLU:HG3	2.00	0.42
1:A:419:LYS:HG3	1:A:424:LEU:HB3	2.01	0.42
4:L:176:LYS:HD3	4:L:176:LYS:HA	1.78	0.42
1:A:356:PHE:HB3	1:A:379:ILE:HD12	2.00	0.42
1:A:108:LEU:HD11	1:A:190:MET:HB2	2.01	0.42
1:A:169:ARG:NH2	1:A:270:MET:SD	2.93	0.41
1:A:392:LEU:HA	1:A:562:LYS:HB2	2.01	0.41
1:A:248:LEU:HD12	1:A:262:LEU:HD22	2.01	0.41
2:E:406:GLU:OE1	2:E:495:TYR:OH	2.31	0.41
1:A:174:LYS:HE2	1:A:497:TYR:CZ	2.54	0.41
1:A:397:ASN:OD1	1:A:397:ASN:N	2.53	0.41
1:A:441:LYS:HE3	1:A:441:LYS:HB3	1.75	0.41
4:L:124:PRO:HA	4:L:125:PRO:HD3	1.96	0.41
2:E:362:VAL:HG13	2:E:526:GLY:HA2	2.02	0.41
2:E:418:ILE:HA	2:E:422:ASN:HD22	1.85	0.41
1:A:528:ALA:HB2	1:A:574:VAL:HG12	2.03	0.40
1:A:142:LEU:HD23	1:A:142:LEU:HA	1.95	0.40
1:A:246:ALA:HA	1:A:249:MET:HE3	2.02	0.40
1:A:275:TRP:O	1:A:278:LEU:HG	2.22	0.40
1:A:513:ILE:HD12	1:A:513:ILE:HA	1.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	594/602 (99%)	577 (97%)	17 (3%)	0	100	100
2	E	191/196 (97%)	186 (97%)	5 (3%)	0	100	100
3	H	222/228 (97%)	213 (96%)	9 (4%)	0	100	100
4	L	211/217 (97%)	200 (95%)	11 (5%)	0	100	100
All	All	1218/1243 (98%)	1176 (97%)	42 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	526/532 (99%)	519 (99%)	7 (1%)	61	79
2	E	165/168 (98%)	163 (99%)	2 (1%)	63	80
3	H	183/188 (97%)	182 (100%)	1 (0%)	81	90
4	L	173/179 (97%)	173 (100%)	0	100	100
All	All	1047/1067 (98%)	1037 (99%)	10 (1%)	65	83

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	169	ARG
1	A	197	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	278	LEU
1	A	290	ASN
1	A	305	GLN
1	A	322	ASN
1	A	401	HIS
2	E	334	ASN
2	E	424	LYS
3	H	112	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	58	ASN
1	A	76	GLN
1	A	89	GLN
1	A	175	GLN
1	A	210	ASN
1	A	228	HIS
1	A	290	ASN
1	A	417	HIS
1	A	505	HIS
3	H	39	GLN
3	H	175	HIS
3	H	215	ASN
4	L	40	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	A	902	1	14,14,15	0.24	0	17,19,21	0.46	0
6	NAG	A	904	1	14,14,15	0.26	0	17,19,21	0.45	0
6	NAG	A	903	1	14,14,15	0.28	0	17,19,21	0.43	0
6	NAG	A	905	1	14,14,15	0.34	0	17,19,21	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	902	1	-	2/6/23/26	0/1/1/1
6	NAG	A	904	1	-	2/6/23/26	0/1/1/1
6	NAG	A	903	1	-	0/6/23/26	0/1/1/1
6	NAG	A	905	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	902	NAG	C4-C5-C6-O6
6	A	902	NAG	O5-C5-C6-O6
6	A	904	NAG	O5-C5-C6-O6
6	A	904	NAG	C4-C5-C6-O6
6	A	905	NAG	C4-C5-C6-O6
6	A	905	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-66894. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 224




Y Index: 224




Z Index: 224


6.2.2 Raw map



X Index: 224



Y Index: 224




Z Index: 224


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 218




Y Index: 237




Z Index: 216


6.3.2 Raw map



X Index: 218



Y Index: 237




Z Index: 267


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.145. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 61 nm³; this corresponds to an approximate mass of 55 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.353 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.353 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.83	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.25	3.65	3.28

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.25 differs from the reported value 2.83 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-66894 and PDB model 9XI2. Per-residue inclusion information can be found in [section 3](#) on [page 6](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.145 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.145).

9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.145) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7480	0.5000
A	0.8670	0.5720
E	0.9290	0.6050
H	0.4840	0.3420
L	0.4740	0.3350

