



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 13, 2026 – 10:08 PM EDT

PDB ID : 9ZYT / pdb_00009zyt
Title : Crystal Structure of BRD4 Bromodomain BD1 in Complex with Small Molecule PLX-3618
Authors : Leriche, G.; Barmare, F.; Toth, J.I.; Jamborcic, A.; Kampert, T.L.; Steadman, K.; Yang, L.; Fish, S.; Daniele, E.; McCarrick, M.; Kallel, E.A.; Li, X.; Thompson, P.A.; Parker, G.S.; Freeman-Cook, K.; Bailey, S.
Deposited on : 2026-01-06
Resolution : 1.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2563 (1.66-1.66)
Clashscore	190562	2662 (1.66-1.66)
Ramachandran outliers	187476	2621 (1.66-1.66)
Sidechain outliers	187428	2621 (1.66-1.66)
RSRZ outliers	180081	2564 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	124	
1	BBB	124	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2518 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bromodomain-containing protein 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AAA	124	Total	C	N	O	S	0	1	0
			1044	677	173	187	7			
1	BBB	124	Total	C	N	O	S	0	0	0
			1036	673	171	185	7			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
AAA	42	SER	-	expression tag	UNP O60885
AAA	43	MET	-	expression tag	UNP O60885
BBB	42	SER	-	expression tag	UNP O60885
BBB	43	MET	-	expression tag	UNP O60885

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	AAA	1	Total C O 4 2 2	0	0
2	BBB	1	Total C O 4 2 2	0	0

- Molecule 3 is PLX-3618 (CCD ID: A1C4W) (formula: C₃₂H₂₇N₉O₂S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	AAA	1	Total C N O S 44 32 9 2 1	0	0
3	BBB	1	Total C N O S 44 32 9 2 1	0	0
3	BBB	1	Total C N O S 44 32 9 2 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	AAA	141	Total O 145 145	0	4
4	BBB	151	Total O 153 153	0	2

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bromodomain-containing protein 4



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	30.20Å 115.85Å 39.05Å 90.00° 90.12° 90.00°	Depositor
Resolution (Å)	23.86 – 1.66 23.86 – 1.66	Depositor EDS
% Data completeness (in resolution range)	97.9 (23.86-1.66) 99.3 (23.86-1.66)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.58 (at 1.66Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.150 , 0.202 0.165 , 0.205	Depositor DCC
R_{free} test set	1527 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	15.4	Xtriage
Anisotropy	0.035	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 46.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.146 for h,-k,-l	Xtriage
Reported twinning fraction	0.569 for H, K, L 0.431 for -h,-k,l	Depositor
Outliers	1 of 31388 reflections (0.003%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2518	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A1C4W, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AAA	1.26	4/1074 (0.4%)	1.51	6/1461 (0.4%)
1	BBB	1.23	4/1066 (0.4%)	1.47	3/1450 (0.2%)
All	All	1.24	8/2140 (0.4%)	1.49	9/2911 (0.3%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AAA	125	CYS	C-O	6.26	1.31	1.24
1	AAA	86	PRO	C-O	6.18	1.31	1.23
1	AAA	151	GLU	C-O	-5.51	1.17	1.24
1	AAA	159	GLN	C-O	-5.48	1.17	1.24
1	BBB	156	LEU	C-O	5.46	1.30	1.24
1	BBB	139	TYR	C-O	5.45	1.30	1.24
1	BBB	132	MET	C-O	5.29	1.30	1.24
1	BBB	106	ASP	C-O	5.01	1.30	1.23

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AAA	106	ASP	CA-CB-CG	-7.25	105.35	112.60
1	AAA	121	ASN	CA-C-N	6.66	129.53	120.54
1	AAA	121	ASN	C-N-CA	6.66	129.53	120.54
1	BBB	133	PHE	N-CA-C	-5.54	105.15	111.07
1	AAA	160	LYS	CA-C-O	-5.37	114.28	120.24
1	BBB	109	THR	CA-CB-OG1	-5.25	101.73	109.60
1	BBB	122	ALA	N-CA-C	-5.09	106.17	112.38
1	AAA	97	TYR	N-CA-CB	5.05	117.34	110.01
1	AAA	116	ASN	N-CA-C	-5.02	107.15	113.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	1044	0	1042	24	0
1	BBB	1036	0	1037	24	0
2	AAA	4	0	6	0	0
2	BBB	4	0	6	0	0
3	AAA	44	0	0	0	0
3	BBB	88	0	0	0	0
4	AAA	145	0	0	7	0
4	BBB	153	0	0	7	0
All	All	2518	0	2091	48	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (48) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:BBB:111:LYS:NZ	1:BBB:115:GLU:OE2	2.13	0.79
1:AAA:163:GLU:OE1	4:AAA:1101:HOH:O	2.02	0.77
1:AAA:155:LYS:HB3	4:AAA:1231:HOH:O	1.85	0.76
1:BBB:52:ASN:HB3	1:BBB:55:LYS:CD	2.18	0.73
1:AAA:159:GLN:HG2	4:AAA:1199:HOH:O	1.87	0.72
1:BBB:123:GLN:NE2	4:BBB:1102:HOH:O	2.23	0.71
1:AAA:127:GLN:OE1	4:AAA:1102:HOH:O	2.08	0.71
1:BBB:151:GLU:OE1	4:BBB:1101:HOH:O	2.13	0.66
1:BBB:68:ARG:NH1	4:BBB:1104:HOH:O	2.32	0.62
1:AAA:81:TRP:CG	1:AAA:82:PRO:HD3	2.38	0.59
1:AAA:123:GLN:HG2	4:BBB:1111:HOH:O	2.03	0.56
1:AAA:134:THR:O	1:AAA:138:ILE:HG13	2.06	0.56
1:AAA:95:PRO:O	1:AAA:99:LYS:HE2	2.07	0.55
1:BBB:66:LEU:HD23	1:BBB:70:VAL:HG21	1.90	0.54
1:BBB:57:LYS:HE3	4:BBB:1165:HOH:O	2.08	0.54
1:AAA:62:GLN:HG2	1:AAA:164:LEU:HD22	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:68:ARG:HH11	1:AAA:68:ARG:HG3	1.75	0.52
1:BBB:73:THR:HG21	1:BBB:160:LYS:HE3	1.92	0.51
1:AAA:65:TYR:CE1	1:AAA:69:VAL:HG21	2.46	0.50
1:AAA:155:LYS:CD	4:AAA:1231:HOH:O	2.60	0.50
1:BBB:147:VAL:O	1:BBB:151:GLU:HG3	2.12	0.50
1:BBB:81:TRP:CG	1:BBB:82:PRO:HD3	2.48	0.49
1:BBB:119:TYR:CE2	1:BBB:125:CYS:HB2	2.48	0.49
1:BBB:157:PHE:CZ	1:BBB:161:ILE:HG13	2.49	0.48
1:BBB:52:ASN:HB3	1:BBB:55:LYS:HD2	1.92	0.48
1:AAA:65:TYR:CD1	1:AAA:69:VAL:HG21	2.49	0.47
1:AAA:74:LEU:HD23	1:AAA:129:PHE:CE1	2.49	0.47
1:BBB:71:LEU:C	1:BBB:71:LEU:HD13	2.41	0.46
1:BBB:134:THR:HG22	1:BBB:138:ILE:CD1	2.46	0.46
1:AAA:68:ARG:HG3	1:AAA:68:ARG:NH1	2.31	0.46
1:BBB:164:LEU:HD12	4:BBB:1129:HOH:O	2.15	0.46
4:AAA:1179:HOH:O	1:BBB:49:GLU:HG3	2.17	0.45
1:AAA:147:VAL:O	1:AAA:151:GLU:HG3	2.17	0.44
1:AAA:81:TRP:CD2	1:AAA:82:PRO:HD3	2.53	0.44
1:BBB:52:ASN:HB3	1:BBB:55:LYS:HD3	1.97	0.43
1:BBB:161:ILE:HG23	4:BBB:1129:HOH:O	2.19	0.43
1:AAA:140:ASN:O	1:AAA:141:LYS:HD3	2.18	0.43
1:BBB:52:ASN:HB3	1:BBB:55:LYS:CG	2.48	0.42
1:BBB:96:ASP:HA	1:BBB:99:LYS:HD2	2.00	0.42
1:AAA:54:ASN:HB2	4:AAA:1124:HOH:O	2.20	0.42
1:BBB:119:TYR:CD2	1:BBB:125:CYS:HB2	2.55	0.42
1:BBB:161:ILE:HD13	1:BBB:161:ILE:HA	1.92	0.42
1:AAA:70:VAL:HG21	1:AAA:161:ILE:HD13	2.01	0.42
1:AAA:72:LYS:O	1:AAA:76:LYS:HG3	2.20	0.41
1:BBB:126:ILE:HD11	1:BBB:164:LEU:HD11	2.03	0.41
1:AAA:71:LEU:C	1:AAA:71:LEU:HD13	2.46	0.41
1:AAA:65:TYR:CD2	1:AAA:164:LEU:HD23	2.56	0.41
1:AAA:83:PHE:CZ	1:AAA:146:ILE:HD11	2.56	0.41

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AAA	123/124 (99%)	119 (97%)	4 (3%)	0	100	100
1	BBB	122/124 (98%)	120 (98%)	2 (2%)	0	100	100
All	All	245/248 (99%)	239 (98%)	6 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	118/117 (101%)	115 (98%)	3 (2%)	42	18
1	BBB	117/117 (100%)	117 (100%)	0	100	100
All	All	235/234 (100%)	232 (99%)	3 (1%)	61	42

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	AAA	68	ARG
1	AAA	93	ASN
1	AAA	164	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	A1C4W	AAA	1002	-	46,50,50	2.22	20 (43%)	57,74,74	1.69	11 (19%)
3	A1C4W	BBB	1002	-	46,50,50	2.93	21 (45%)	57,74,74	1.72	9 (15%)
3	A1C4W	BBB	1003	-	46,50,50	2.28	14 (30%)	57,74,74	1.67	14 (24%)
2	EDO	BBB	1001	-	3,3,3	0.36	0	2,2,2	0.23	0
2	EDO	AAA	1001	-	3,3,3	0.12	0	2,2,2	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A1C4W	AAA	1002	-	-	0/20/36/36	0/6/7/7
3	A1C4W	BBB	1002	-	-	0/20/36/36	0/6/7/7
3	A1C4W	BBB	1003	-	-	0/20/36/36	0/6/7/7
2	EDO	BBB	1001	-	-	1/1/1/1	-
2	EDO	AAA	1001	-	-	0/1/1/1	-

All (55) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	BBB	1002	A1C4W	C7-C6	8.03	1.62	1.49
3	BBB	1003	A1C4W	C9-N4	-6.89	1.41	1.47
3	BBB	1002	A1C4W	C15-C16	-6.74	1.26	1.39
3	BBB	1002	A1C4W	C18-C13	-6.12	1.30	1.39
3	AAA	1002	A1C4W	C14-C13	-6.01	1.30	1.39
3	BBB	1002	A1C4W	N7-N8	5.60	1.48	1.37
3	BBB	1002	A1C4W	C28-C23	5.30	1.48	1.41
3	BBB	1003	A1C4W	C8-N2	5.26	1.37	1.32
3	BBB	1003	A1C4W	O1-C22	5.01	1.33	1.23
3	BBB	1002	A1C4W	C20-C21	5.01	1.47	1.39
3	BBB	1003	A1C4W	C22-N5	4.95	1.45	1.35
3	BBB	1002	A1C4W	C24-N6	4.84	1.45	1.35
3	AAA	1002	A1C4W	C24-N6	4.24	1.44	1.35
3	BBB	1002	A1C4W	C22-N5	3.79	1.43	1.35
3	BBB	1002	A1C4W	C5-S	-3.67	1.66	1.74
3	AAA	1002	A1C4W	C8-N2	3.67	1.35	1.32
3	BBB	1002	A1C4W	C9-N4	3.58	1.50	1.47
3	BBB	1003	A1C4W	C6-N1	3.58	1.36	1.31
3	BBB	1002	A1C4W	C27-C26	3.53	1.42	1.35
3	AAA	1002	A1C4W	C18-C13	3.53	1.44	1.39
3	BBB	1003	A1C4W	N2-N1	-3.27	1.32	1.39
3	AAA	1002	A1C4W	C28-N8	3.19	1.37	1.32
3	BBB	1003	A1C4W	C20-C19	-3.19	1.34	1.39
3	AAA	1002	A1C4W	C6-N	-3.18	1.30	1.38
3	BBB	1003	A1C4W	C10-C11	-3.12	1.43	1.51
3	AAA	1002	A1C4W	C6-N1	3.07	1.35	1.31
3	BBB	1002	A1C4W	C14-C13	-3.06	1.34	1.39
3	AAA	1002	A1C4W	C20-C21	3.04	1.44	1.39
3	BBB	1002	A1C4W	C13-C12	2.94	1.52	1.48
3	BBB	1002	A1C4W	C-C1	-2.91	1.43	1.50
3	AAA	1002	A1C4W	C10-C11	2.90	1.59	1.51
3	AAA	1002	A1C4W	C4-C2	-2.84	1.32	1.42
3	AAA	1002	A1C4W	C27-C26	2.83	1.41	1.35
3	AAA	1002	A1C4W	C30-C29	-2.70	1.34	1.38
3	BBB	1003	A1C4W	C18-C13	-2.68	1.35	1.39
3	BBB	1003	A1C4W	C29-C21	2.67	1.43	1.39
3	BBB	1002	A1C4W	C21-N5	2.66	1.47	1.41
3	AAA	1002	A1C4W	C23-C24	-2.65	1.38	1.45
3	AAA	1002	A1C4W	C9-N4	2.63	1.49	1.47
3	BBB	1003	A1C4W	C-C1	-2.59	1.44	1.50
3	AAA	1002	A1C4W	C3-C2	2.50	1.55	1.50
3	AAA	1002	A1C4W	C22-N5	2.40	1.40	1.35
3	AAA	1002	A1C4W	C16-C19	-2.37	1.43	1.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AAA	1002	A1C4W	C30-C31	-2.29	1.35	1.38
3	BBB	1002	A1C4W	C11-N3	2.28	1.40	1.32
3	BBB	1002	A1C4W	C28-N8	2.28	1.36	1.32
3	BBB	1002	A1C4W	C23-C22	-2.19	1.43	1.49
3	AAA	1002	A1C4W	C7-C6	-2.19	1.45	1.49
3	BBB	1003	A1C4W	C31-C19	2.14	1.43	1.39
3	BBB	1003	A1C4W	C14-C13	2.12	1.42	1.39
3	BBB	1002	A1C4W	C30-C31	2.11	1.42	1.38
3	BBB	1002	A1C4W	C27-N7	-2.10	1.32	1.37
3	BBB	1003	A1C4W	C14-C15	-2.06	1.35	1.38
3	BBB	1002	A1C4W	C14-C15	-2.04	1.35	1.38
3	AAA	1002	A1C4W	C18-C17	2.01	1.42	1.38

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	BBB	1002	A1C4W	C13-C12-N4	-5.85	110.59	117.30
3	BBB	1002	A1C4W	C13-C12-C4	5.37	125.84	118.75
3	AAA	1002	A1C4W	C13-C12-N4	-4.28	112.39	117.30
3	BBB	1002	A1C4W	N-C8-N2	3.73	113.84	109.44
3	AAA	1002	A1C4W	C10-C9-N4	3.61	114.26	109.78
3	AAA	1002	A1C4W	C18-C13-C12	-3.58	114.88	120.74
3	BBB	1002	A1C4W	C14-C15-C16	3.58	125.72	121.12
3	BBB	1002	A1C4W	C8-N2-N1	-3.43	103.92	107.82
3	AAA	1002	A1C4W	C14-C15-C16	3.39	125.48	121.12
3	BBB	1003	A1C4W	C23-C24-N6	3.37	134.69	132.07
3	BBB	1003	A1C4W	C28-N8-N7	3.28	107.02	103.81
3	BBB	1003	A1C4W	C25-N6-C24	3.24	118.07	115.55
3	BBB	1003	A1C4W	C31-C19-C16	-3.19	115.76	121.25
3	AAA	1002	A1C4W	C18-C17-C16	-3.11	117.14	121.12
3	AAA	1002	A1C4W	C15-C14-C13	-3.06	117.53	120.80
3	AAA	1002	A1C4W	C13-C12-C4	2.94	122.63	118.75
3	AAA	1002	A1C4W	C8-N2-N1	-2.89	104.53	107.82
3	BBB	1003	A1C4W	C8-C9-N4	2.84	111.48	106.80
3	BBB	1003	A1C4W	C31-C30-C29	2.80	123.85	120.24
3	BBB	1003	A1C4W	C13-C12-N4	-2.71	114.19	117.30
3	BBB	1003	A1C4W	C28-C23-C22	-2.53	122.09	129.45
3	BBB	1002	A1C4W	O1-C22-C23	2.50	125.41	121.04
3	BBB	1003	A1C4W	O-C11-C10	2.44	125.98	120.87
3	BBB	1003	A1C4W	C14-C13-C12	-2.38	116.83	120.74
3	BBB	1003	A1C4W	C20-C19-C16	2.31	124.71	120.84
3	AAA	1002	A1C4W	C23-C24-N6	-2.29	130.28	132.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	BBB	1002	A1C4W	C4-C2-C1	2.27	116.38	111.91
3	BBB	1003	A1C4W	C9-N4-C12	2.25	119.87	117.67
3	BBB	1002	A1C4W	C30-C29-C21	-2.20	117.19	119.73
3	BBB	1002	A1C4W	C20-C21-N5	-2.16	113.11	120.13
3	BBB	1003	A1C4W	C23-C22-N5	-2.12	112.63	115.61
3	AAA	1002	A1C4W	C27-C26-C25	2.08	121.29	118.87
3	AAA	1002	A1C4W	C18-C13-C14	2.07	121.20	118.57
3	BBB	1003	A1C4W	C13-C12-C4	2.02	121.42	118.75

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	BBB	1001	EDO	O1-C1-C2-O2

There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand A1C4W AAA 1002



Ligand A1C4W BBB 1002





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AAA	124/124 (100%)	-0.11	0 100 100	6, 14, 27, 37	1 (0%)
1	BBB	124/124 (100%)	-0.02	2 (1%) 70 75	9, 16, 30, 45	0
All	All	248/248 (100%)	-0.07	2 (0%) 82 87	6, 15, 29, 45	1 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	BBB	42	SER	2.1
1	BBB	53	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EDO	AAA	1001	4/4	0.93	0.08	13,14,14,14	0
3	A1C4W	BBB	1003	44/44	0.95	0.07	13,18,25,30	0
2	EDO	BBB	1001	4/4	0.96	0.06	11,14,16,19	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	A1C4W	BBB	1002	44/44	0.97	0.05	9,12,15,16	0
3	A1C4W	AAA	1002	44/44	0.97	0.06	9,13,22,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around A1C4W BBB 1003:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1C4W BBB 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around A1C4W AAA 1002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.